

INHOF Precision Camera Works, established in 1887, has become world-famous for its precision Press, Aerial and Professional Cameras, tripods and accessories.

Linhof products are outstanding for superior workmanship, greater versatility, exclusive design and finest quality.

Linhof Cameras are sold only through franchised dealers.

PHOTO

LINHOF, TECHNIKA, KARDAN, are Trade Marks registered with the U.S. Patent Office, and with U.S. Customs at all ports of entry to prevent un-authorized importation.

| INDEX TO LINHOF SECTION            |                  |            |                           |             |  |  |  |  |
|------------------------------------|------------------|------------|---------------------------|-------------|--|--|--|--|
|                                    |                  | Cameras    | Lenses                    | Accessories |  |  |  |  |
| 21/4 x 31/4                        | Linhof-Color     | D-5        | E1-2                      | D4-10-18-19 |  |  |  |  |
| $2\frac{1}{4} \times 3\frac{1}{4}$ | Technika 70      | D-1        | D-2                       | D2-4-18-19  |  |  |  |  |
| $2\frac{1}{4} \times 3\frac{1}{4}$ | Technika Press   | D-3        | D-3                       | D-4         |  |  |  |  |
| 21/4 x 23/4                        | Wide Angle "65"  | D-3        | _                         | <u> </u>    |  |  |  |  |
| 4 x 5                              | Aero Technika    | D-6        | D-6                       | D-6         |  |  |  |  |
| 4 x 5                              | Linhof-Color     | D-5        | E1-2                      | D9-10-18-19 |  |  |  |  |
| 4 x 5                              | Super Technika   | D-7        | D-8                       | D9-10-18-19 |  |  |  |  |
| 5 x 7                              | Kardan-Color     | D-12       | E1-2                      | D12-13      |  |  |  |  |
| 5 x 7                              | Super Technika   | D-11       | E1-2                      | D-11        |  |  |  |  |
| 8 x 10                             | Kardan-Color     | D-12       | E1-2                      | D12-13      |  |  |  |  |
| Anatomical                         | GripsD-10        | 5 Lens Sha | des                       | D19-20      |  |  |  |  |
|                                    | pazineD-15       |            | Accessories               | D13-14      |  |  |  |  |
| Cable Relea                        | sesD-17          | 7 Photomic | crography                 | D13-14      |  |  |  |  |
| Copy Stand                         | D13-14           |            | Projector Platforms F     |             |  |  |  |  |
|                                    | ccessoriesD13-14 |            | Slide ProjectorD-16       |             |  |  |  |  |
|                                    | D-18             |            | Tripods and Accessories F |             |  |  |  |  |
|                                    | E1-2             |            |                           | on StandD13 |  |  |  |  |

# Linkof PRICELIST



Cat.

No.

21/4 x 31/4 CAMERAS TECHNIKA 70

User Net Price





TECHNIKA 70 camera; with 21/4x31/4" Quick-change ground glass spring back, Ektalite field lens, blank rangefinder coupling disk for normal, wide-angle and telephoto lens, adjustable Anatomical Grip (left hand), shutter release cable. Sierra Tan finish, chrome trim.

#### CAMERA - AND - LENS COMBINATIONS - TECHNIKA 70

Most lenses up to 135mm normal, and to 240mm telephoto can be coupled to the Multifocus rangefinder; lenses up to 360mm telephoto can be used for ground glass focusing.

Lenses for the Technika 70, complete with lens board, are listed on the following page. Other lenses in shutter will be found in Section E of the Price List.

#### LENS INSTALLATION AND RANGEFINDER COUPLING - TECHNIKA 70

The following charges include infinity stops, installation of stops on the camera, infinity setting of lens, plotting and machining of rangefinder cam.

If included in the original camera order, up to three lenses selected from the listing on the following page will be installed and coupled to the Multifocus rangefinder without charge. Allow 30 days for delivery of complete camera-and-lens outfit.

|       | without charge. Allow 30 days for delivery of complete camera-and-lens out   | TIT.    |        |
|-------|--|---------|--------|
| 19800 | Other lenses on board (selected from page D-2) each  | 4915-00 | 20.00  |
| 19800 | Lenses in shutter only (see Section E)   | 7326-25 | 35.00# |
| 19800 | Customer's own lenses  | 7626-25 | 35.00# |
|       | #Includes lens board and lens installation on board.   |         |        |
| 19900 | Additional cam disk (if required)  | 326-70  | 8.95   |
|       | NOTE: For lens installation after original delivery, the camera <b>must be sen complete</b> with all lenses and cam disks already provided for the camera so to complete outfit can be checked out by our Service Department. There is no for this re-check at the time of later installation. | hat the |        |



#### LENSES, LENS BOARDS and CASES FOR TECHNIKA 70

The following prices include lenses in M-X synchronized shutters, mounted on Technika 70 lensboard with rapid-lock cable release socket installed. Detailed lens specifications will be found in Section E. (Charges for coupling to the Technika 70 Multifocus rangefinder are listed on Page D-1.)

| Cat.<br>No.  | mm           | f/                                |   | User<br>Net<br>Price |
|--------------|--------------|-----------------------------------|---|----------------------|
|              | ١            | Normal L                          | enses:  |                      |
| 8103         | 80#          | 2.8                               | Technika Xenotar complete   | 220.50               |
| 8198         | 80#          | 2.8                               | Technika Zeiss Planar complete 14221-65 3M18221-65  | 332.5                |
| 8120         | 100          | 5.6                               | Technika Symmar complete 43113-34 3M47102-29  | 166.5                |
| 8113         | 100          | 3.5                               | Technika Xenar complete   | 171.5                |
| 1518         | 100          | 2.8                               | Technikon complete  | 271.5                |
| 3102         | 100          | 2.8                               | Technika Xenotar complete 63181-67 3M21165-02   | 267.5                |
| 3191         | 100          | 2.8                               | Technika Zeiss Planar complete 43201-65 3M49201-65  | 302.5                |
|              | \            | Wide-An                           | gle Lenses:   |                      |
| 3111         | 53           | 4                                 | Technika Super Angulon complete   | 512.5                |
| 1192         | 53           | 4.5                               | Technika Zeiss Biogon complete 23361-65 3M07361-65  | 542.5                |
| 3150         | 58           | 5.6                               | Wide-Angle Technikon complete 59261-65 3M81236-40   | 392.5                |
| 1131         | 65           | 8                                 | Technika Super Angulon complete 82141-24 3M67128-53   | 207.                 |
|              |              | Telephoto                         | b Lenses:   |                      |
| 8110         | 180          | 5.5                               | Technika Tele-Arton complete  | 189.                 |
| 8152         | 180          | 4.5                               | Tele-Technikon complete   | 249.                 |
| 8112         | 180          | 4                                 | Technika Tele-Arton complete 43195-00 3M54176-40  | 292.                 |
| 8193         | 180          | 4.8                               | Technika Zeiss Sonnar complete 97221-65 3M17221-65  | 332.                 |
|              |              |                                   | #Covers 21/4x23/4" Cine Rollex and Super Rollex size.   |                      |
|              |              |                                   | DS FOR TECHNIKA 70  |                      |
| 0976<br>0977 |              |                                   | 70 flat blank, with Rapid-Lock cable socket   |                      |
| 0986         |              |                                   | 70 flat blank   |                      |
| 0422         |              |                                   | R TECHNIKA 70   |                      |
| 0433         | Delt         | 2 Super                           | of T-70 COMPARTMENT CASE, finest top grain cowhide; holds 3-lens outfit, Rollex, 8 double cut film holders, accessories   | 0 135                |
| 0434<br>0427 | DeLI<br>DeLI | JXE Linh<br>JXE Linh<br>(rucksack | of T-70 TROPICAL CASE (metal clad); same capacity as T-70 Case above 4693-3 of OUTFIT CARRIER—serves as large capacity shoulder case or back pack (); semi-rigid top grain leather case with movable partitions for any desired ment of camera and accessories. 17x12x7" outside; 11x7x2" outside leather |                      |
|              |              | pocket.                           | With adjustable leather straps and shoulder pad   | 0 140                |
| 10432        |              |                                   | SE (Leather) for 3-lens outfit, one Super Rollex, small accessories 8465-0  |                      |
| 10429        | Leaf         | ner Neck                          | Strap for T70 camera  | 0 4                  |

### 21/4 x 31/4 CAMERAS - TECHNIKA PRESS - SPECIAL WIDE-ANGLE

User Net Price



#### **TECHNIKA PRESS 23**

TECHNIKA PRESS (21/4x31/4") with built-in Multifocus prism range-and-viewfinder and Quick-Change Back. Instantly interchangeable camera front contains lens and shutter in helical focusing mount with automatic depth of field scale; self-coupling rangefinder and distance indicator cam; swinging, tilting back frame with extension for extreme close-ups; interchangeable revolving ground glass spring back; adjustable, detachable Anatomical Hand Grip with built-in shutter release. Satin chrome finish; sierra tan leather grain

Cat. No. 10007 [A63348-00] [A3M73330-60]\* — without lens . . . 435.00

#### CAMERA - AND - LENS COMBINATIONS — Technika Press 23

When ordered with the camera, any one or combination of lenses listed below will be coupled to the camera without charge. Lenses are supplied mounted on individual camera front plate with helical focusing mount, shutter and built-in self-coupling rangefinder cam. Lenses ordered after the initial camera order are subject to Coupling Charge shown below.

|       | mm  | inch   | f/  |                           |  |  |  |  | shutter  | top<br>speed | diam.<br>mm |          |        |
|-------|-----|--------|-----|---------------------------|--|--|--|--|----------|--------------|-------------|----------|--------|
| 10169 | 95  | 3.3/4  | 2.8 | Technika Heligon          |  |  |  |  | . MX/CRI | 1/400        | 51          | 41195-30 | 279.00 |
| 10160 | 100 | 4      | 2.8 | Technika Planar (Zeiss) . |  |  |  |  | . MX/CRI | 1/400        | 70          | 43254-80 | 364.00 |
| 10162 | 53  | 2.1/8  | 4.5 | Technika Biogon (Zeiss)   |  |  |  |  | . MX/CRO | 1/500        | 70          | 44418-60 | 598.00 |
| 10163 | 180 | 7      | 4.8 | Technika Sonnar (Zeiss)   |  |  |  |  | . MX/CRO | 1/500        | 70          | 43278-60 | 398.00 |
| 10165 | 270 | 10.5/8 | 5.6 | Technika Rotelar          |  |  |  |  | . MX/CRI | 1/400        | 70          | 42251-30 | 359.00 |

Note: All shutters have built-in MX synchronization.

#### LENS COUPLING - Technika Press 23

Any of the above lenses may be added after the initial camera purchase. When ordering, specify camera serial number to assure correct cam alignment. Allow 10-12 weeks for delivery.


| 19800 | Plotting and machining rangefinder cam Press 23 per lens   | 7126-25 | 35.00  |
|-------|--|---------|--------|
|       | CASES FOR TECHNIKA PRESS 23  |         |        |
| 10430 | De Luxe Compartment Case—81/2x191/2x11''—finest quality top grain cowhide, plush lined throughout. Double dust cover hinged inside. Leather carrying handle. Holds camera, |         |        |
|       | 3 lenses, 2 Super Rollex Backs, Lens Shades, filters   | 0596-67 | 145.00 |
| 10431 | DeLuxe Sports Case—top grain leather case with adjustable shoulder strap. Holds one-lens   |         |        |

#### SPECIAL WIDE-ANGLE "65" CAMERA

Fast-shooting camera with built-in Rollex roll film backs; 65mm f/8 Super Angulon lens in quick-focusing helical mount with click stops at infinity, 9 ft, 41/2 ft, and 3 ft. M-X synchronized Compur Rapid Press Shutter; speeds to 1/500 sec. Prices include lens, roll film back, Anatomical Grip, Sportsfinder, and screw-in lens shade.

| 10000 | Wile Apple "VE" Comment Model CD with  |                |        |
|-------|--|----------------|--------|
| 10002 | Wide-Angle ''65'' Camera, Model SR, with<br>Super Rollex Back; takes 10 exposures<br>21/4×23/4'' on No. 120 film |                | 498.00 |
| 10005 | Wide-Angle "65" Camera, Model CR, with   | 7(3)(11+331-13 |        |
|       | Cine Rollex 70mm back; takes up to 53 exposures 21/4x23/411 on perforated 70mm                                   | A18418-60      | 598.00 |

film in pre-loaded cartridges . . . A3M15397-65\*



87.50

## 21/4 x 31/4 ACCESSORIES

User Net Price

|       | FILM HOLDERS   |                      |         |
|-------|--|----------------------|---------|
| 10352 | CINE ROLLEX 70mm film adapter back; up to 53 exposures 21/4x23/4" on perforated Type I 70mm film. (See page D-9 for Cine Rollex Accessorices) . with empty film cartridge  | 71133-00             | 199.50  |
| 10350 | SUPER ROLLEX 21/4x23/4" (56x72mm) (10 exposures on No. 120 film) Rotating roll film back with single throw fast advance lever, automatic stop, built-in exposure counter   | 9576-65              | 115.00  |
| 10329 | Quick-Change Reducing Back 23, to use 4x5 Super Rollex or 4x5 Cine Rollex on Technika 70 or Super Technika 23  | 9345-33              | 68.00   |
| 10307 | Dark Slide for Rollex holders (Specify: Super or Cine Rollex) replacement  | 271-17               | 1.75    |
| 10354 | Extra Film Chassis for Super Rollex Back   | 8346-30              | 69.50   |
| 10309 | Linhof $2^{1}/_{4}$ x $3^{1}/_{4}$ " combination double cut film and plate holder with film ejector. No sheath required for cut film   | 4711-15<br>6M4710-05 | 16.75   |
| 10306 | Polaroid Back for Linhof $2\frac{1}{4}x3\frac{1}{4}$ cameras; uses Polaroid Type 37 rolls $(2\frac{1}{4}x3\frac{1}{4})$ size).   | 23158-40             | *198.00 |
| 10305 | Groundglass Focusing Adapter $21/4 \times 31/4$ for use with Polaroid Back $21/4 \times 31/4$  | 6324-85              | *35.50  |
|       | ACCESSORIES FOR SUPER TECHNIKA 23  |                      |         |
| 10910 | Lens Board 23, flat blank  | 642-07               | 3.10    |
| 10978 | Lens Board 23, flat, with rapid-lock cable release socket  | 347-20               | 10.80   |
| 10979 | Lens Board 23, recessed, with rapid-lock cable release socket; for 105mm Symmar, 65mm Angulon and Super Angulon, 150mm App-Ronar   | 447-20               | 10.80   |
| 10973 | Lens Board 23 with extension collar; for 200mm Imagon or 360mm Tele-Xenar  | 2111-67              | 17.50   |
| 10972 | Lens Board Adapter 23/45; adapts lenses mounted on '23' lens boards to Super Technika 4x5IV or Linhof-Color 23 and 4x5 cameras   | 6214-65              | 22.00   |
| 10967 | Lens Board Adapter 23/57; adapts lenses mounted on '23' lens boards to Super Tech-   | 021100               |         |
|       | nika 5x7   | 219-33               | 14.00   |
| 10963 | Helical Focusing Mount for 47mm Super Angulon; on lens board for Super Technika 23   | 8732-33              | 48.50   |
| 10420 | Linhof ATTACHE Case—173/4x153/4x51/2"—finest quality top grain cowhide, plush lined throughout, with compartments for: camera, 3 lenses, 8 double film holders, 2 Super  | 170/ /7              | 120.00  |
| 10424 | Rollex roll film holders, filters, accessories   | 1786-67              | 130.00  |
| 10425 | Adjustable shoulder strap for Attache case   | 623-00               | 4.50    |
| 10207 | UNIVERSAL SPORTSFINDER with parallax correction; shows fields of normal, wide-angle  |                      |         |
| 10250 | and telephoto lenses; fits camera accessory shoe   | 6421-33              | 32.00   |
| 10251 | ative size (21/4x21/4, 21/4x23/4, 21/4x31/4), name and focal length of lens, camera model Close-up Compensating Mask; similar to 10250. Shows reduction of field at distances 20 inches to 6 ft. for 95-100-105mm lenses, and 5 ft. to 15 ft. for 180mm lenses. SPE- | 942-60               | 3.95    |
|       | CIFY: focal length and camera serial number  | 952-60               | 3.95    |
|       | MISCELLANEOUS ACCESSORIES  |                      |         |
| 10211 | Focal Frame Finder for extreme close-ups (specify '23')  | 4120-63              | 30.95   |
| 10218 | Ektalite field lens $21/4 \times 31/4$ " for use on Linhof $21/4 \times 31/4$ " Quick-change back, with attachments  | 8411-30              | 17.00   |
| 10204 | Cross Spirit Level; fits accessory shoe of camera  | 713-97               | 5.95    |
| 10217 | Ground Glass Adapter for Spirit Level  | 733-97               | 5.95    |
| 10203 | Shoe for mounting Sports Finder to other cameras   | 045-00               | 7.50    |
|       | ,  |                      |         |

10966

10845

10844

10328

10323

## LINHOF-COLOR 23 AND 4x5 VIEW CAMERAS and ACCESSORIES

User Net Price

| No.   |  |                           | Price  |
|-------|--|---------------------------|--------|
|       | LINHOF-COLOR 23 (21/4x31/4") Monorail View Camera with same lens standard as Super Technika IV 4x5; has same Quick-Change Back as Super Technika 23 (without folding ground glass hood); with blank flat lens board  | A42209-65<br>A3M41199-15* | 299.50 |
|       | LINHOF-COLOR 4x5 Monorail View Camera, with same lens standard and Linhof Universal Back as Super Technika IV 4x5 (without folding ground glass hood); with blank flat lens board  | A42209-65<br>A3M41199-15* | 299.50 |
|       | LENSES — Any lens from 47mm wide-<br>angle to 360mm telephoto may be<br>used with the Linhof-Color camera.   |                           |        |
|       | LENS INSTALLATION — No charge is made for mounting any Kling-<br>supplied lens on lens board. Customer-own lenses are mounted at the following<br>nominal charge (plus lens board):  |                           |        |
| 19800 | Mounting customer-own lens and flange on lens board  | 601-50                    | 2.00   |
|       | Lenses already mounted on Super Technika 4x5 lens boards may be used interchangeably on the Linhof-Color cameras. Similarly, lenses mounted for the Linhof-Color cameras may be used on the Super Technika 4x5, and coupled to the Multifocus rangefinder. |                           |        |
| 10826 | Lens Board LC flat, blank  | 124-17                    | 6.25   |
| 10822 | Lens Board, flat, with rapid-lock cable release socket; specify lens and shutter<br>Lens Board (Type OCBR), flat, with lens ring and rapid-lock cable release socket; for  | 2310-00                   | 15.00  |
| 10828 | 53mm Biogon or 180mm Sonnar  | 3112-00                   | 18.00  |
| 10836 | Angulon  | 568-30                    | 12.50  |
| 10981 | socket for 65mm Super Angulon or 58mm Wide-Angle Technikon Lens Board (Type ONDR), recessed, with rapid-lock cable release socket; for 53mm,   | 0413-65                   | 20.50  |
| 10982 | 75mm and 90mm Super Angulon  | 4110-00                   | 15.00  |
|       | for 75mm Biogon  | 2112-00                   | 18.00  |
| 10834 | Lens Board LC (Type OCD) with extension collar for 200 or 250mm Imagon, 210mm<br>Xenar, 360mm Tele-Xenar   | 148-30                    | 12.50  |
| 10835 | Lens Board LC (Type OCT) with extension collar for 240mm Xenar   | 3413-65                   | 20.50  |
| 10972 | Lens Board Adapter 23/45; adapts lenses mounted on Super Technika 23 lensboards to Linhof-Color cameras  | 4914-65                   | 22.0   |
| 10984 | Lens Board Adapter T70/45; adapts lenses mounted on Technika 70 lensboards to Linhof-Color cameras   | 1017-30                   | 26.00  |
|       | Limor-Color Cameras  | 1017-30                   | 20.0   |

15.00

56.00

83.00

16.50

D5

0610-00

2337-33

1855-33

0211-00

Lens Board Adapter 45/57; adapts lenses mounted on Linhof-Color lensboards

Compartment Case for Linhof-Color 23 Outfit; holds camera, 2-3 lenses, cut film

DeLuxe Compartment Case for Linhof-Color 4x5 Outfit; holds camera, 2 - 3 lenses

(depending on focal length), 8 double cut film holders, Super Rollex roll film adapter, cut film magazine, lens shade, filters, small accessories . . . . . .

ACCESSORIES FOR LINHOF-COLOR CAMERAS

Folding Focusing Hood for Linhof-Color 23 camera

Folding Focusing Hood for Linhof-Color 4x5 camera

#### AERO-TECHNIKA 4x5 CAMERA

User Net Price

155.00

74103-33



Cat.

No

AERO-TECHNIKA 4x5 with Linhof Universal Revolving Back, Kodak Ektalite field lens, left and right Anatomical Hand Grips, Lens Cowling for one lens, Double Frame Finder, Neck Strap. Corrosion-proof all metal streamlined housing.

#### CAMERA-LENS COMBINATIONS

The Aero-Technika 4x5 may be ordered with one or more lenses installed to the camera. Separate lenses and Lens Cowlings are listed below. (See Section E for complete shutter information).

#### COMPLETE ONE-LENS OUTFITS — Aero-Technika 4x5 with:

| 10073 | 135mm (51/4") f/3.5  | Carl Zeiss PLANAR in EMXI shutter . | 71732-40  | 957.00  |
|-------|----------------------|-------------------------------------|-----------|---------|
| 10074 | 75mm ( 3" ) f/4.5    | Carl Zeiss BIOGON in EMXO shutter   | 721103-40 | 1487.00 |
| 10075 | 180mm (7") f/5.6     | Schneider SYMMAR in EMXI shutter .  | 73651-90  | 842.00  |
| 10077 | 250mm (10" ) f/5.6   | Carl Zeiss SONNAR in EMXI shutter   | 74905-30  | 1204.00 |
| 10078 | 270mm (101/2") f/5.6 | Rodenstock ROTELAR in EMXI shutter  | 75721-90  | 942.00  |
|       |                      |                                     |           |         |

#### **MULTIFOCUS AERO-VIEWFINDER**

| 10277 | Aero-Multifocus Viewfinder with foam rubber eye cup; adjustable for focal lengths     |         |        |
|-------|---|---------|--------|
|       | from 90 to 360mm  | 2776-67 | 115.00 |
| 10273 | Viewfinder Mask to show field of Super Rollex (2.1/4x2.3/4")                          | 912-63  | 3.95   |
| 10276 | Viewfinder Correction Lens for use with 75mm Biogon; shows field for 4x5", 21/4x31/4" |         |        |
|       | and 21/4x2.3/4"   | 7113-00 | 19.50  |

#### LENSES FOR AERO-TECHNIKA 4x5

Any of the following lenses may be added to a basic camera-and-lens outfit on the original order without installation charges. Lenses added after the original delivery are subject to an installation charge. When the camera is sent for additional lens installation, all lenses already provided for the camera must be sent along to permit a complete check-out without charge. The following prices include Aero-Technika lens board:

|       | mm   | inch       | f       |  | shutter | top speed |          |        |
|-------|------|------------|---------|--|---------|-----------|----------|--------|
| 10171 | 135  | 51/4       | 3.5     | Carl Zeiss PLANAR                            | EMXI    | 1/400     | 12232-40 | 332.00 |
| 10172 | 75   | 3          | 4.5     | Carl Zeiss BIOGON                            | EMXO    | 1/500     | 14603-40 | 862.00 |
| 10173 | 180  | 7          | 5.6     | Schneider SYMMAR                             | EMXI    | 1/400     | 07151-90 | 217.00 |
| 10175 | 250  | 10         | 5.6     | Carl Zeiss SONNAR                            | EMXI    | 1/400     | 42405-30 | 579.00 |
| 10176 | 270  | 101/2      | 5.6     | Rodenstock ROTELAR                           | EMXI    | 1/400     | 72221-90 | 317.00 |
| 19800 | Lens | Installati | on afte | er original delivery (lens board additional) |         |           | 567-50   | 10.00  |

#### PROTECTIVE LENS COWLINGS

Each camera-and lens outfit is supplied with the Cowling for one lens. Cowlings accept a filter frame to hold standard 4x4" glass filters made by Linhof or the Eastman Kodak Company. Cowlings for additional lenses are supplied as follows:

|       | EUTEDS AND EUTED EDAME FOD AFDO TECHNIKA AVE |       |
|-------|--|-------|
| 10507 | Cowling/Filter Holder for Sonnar             | 39.50 |
| 10506 | Cowling/Filter Holder for Symmar and Rotelar | 39.50 |
| 10505 | Cowling/Filter Holder for Biogon and Planar  | 39.50 |

|       | FILIERS AND FILIER FRAME FOR AERO-IECHNIKA 4X3                                 |         |       |
|-------|--|---------|-------|
| 10537 | Skylight Filter, 4" square, with frame   | 3227-33 | 41.00 |
| 10536 | Regular Filter, 4" square, with frame; specify: UV, Yellow 2 (3x), Orange (4x) | 7120-67 | 31.00 |
| 10508 | Filter Frame, blank; accepts 4x4" glass filters                                | 835-00  | 7.50  |

## CARRYING CASE FOR AERO-TECHNIKA 4x5

**ACCESSORIES** All film holders supplied for the Linhof Super-Technika 4x5, and other Linhof 4x5

Hammered Aluminum-covered Carrying Case for Aero-Technika with one lens . . .

accessories may be used with the Aero-Technika.

10448

10426



SUPER TECHNIKA 4x5, Model V with new Multifocus rangefinder system for use with lens-matched cams, Linhof Universal 4x5 Back, Ektalite field lens wire frame finder with parallax correction, adjustable Anatomical Grip (left hand), shutter release cable. Leather grain Sierra Tan finish, satin chrome trim.

Cat. No. 10064 without lens and lens board [A82489-65] [A3M93465-15]\* 699.50

Cat No. 10202 MULTIFOCUS Universal Optical Viewfinder [3869-67] 104.50

The Linhof Universal Back accepts all standard 4x5 holders, Linhof cut film and plate holders, 21/4x23/4" Super Rollex (120 film) and Cine Rollex (perforated 70mm film), Polaroid back, reducing backs and enlarging attachments.

CAMERA-AND-LENS COMBINATIONS - SUPER TECHNIKA V, 4 x 5

Any number of different lenses with focal lengths from 75mm wide-angle to 250mm normal, and up to 360mm telephoto can be used with the Multifocus rangefinder system of the Model V.

The lens listings on page D-7 include all components necessary for lens installation on the camera, and for immediate use with the rangefinder; these lens-and-component combinations are not suitable for use with the Super Technika IV, 4x5 (Serial Numbers up to #78887).

#### CUSTOM MADE LENS COUPLINGS

Leather neck Strap for Super Technika 4x5 camera

Customer's own lenses, and any lenses shown in our complete Lens Price List (Section E) can be provided with lens board, cut and fitted to lens, custom-made cam and all other necessary installation components at the following all-inclusive price. (The camera need not be sent to us if lenses are added after original purchase).

| 19800  | Custom-made coupling | gs for ST | V (or ST IV) | 4x5, complete |                        | 6433-75                  | 45.0     |
|--------|----------------------|-----------|--------------|---------------|------------------------|--------------------------|----------|
| NOTE C |                      | 1.1       |              | Dan           | at for the platting on | d mandustion of a sustam | made cam |

NOTE: Customer's own lenses must be sent to our Service Department for the plotting and production of a custom-made cam; they will be returned complete with the cam and all other coupling components.

|       | CASES FOR SUPER TECHNIKA 4x5   |                   |               |
|-------|--|-------------------|---------------|
| 10440 | Linhof 4x5 ATTACHE CASE—191/4x161/2x6"—finest quality top grain cowhide, plush lined throughout, with compartments to hold camera, lenses, holders, accessories  | 1896-67           | 145.00        |
| 10447 | Linhof 4x5 DeLUXE TROPICAL CASE 191/4x16x61/4"—same interior finish as Attache Case, but hammered aluminum covering  | 3895-00           | 142.50        |
| 10427 | Linhof DeLUXE OUTFIT CARRIER—17x12x7"—Semi-rigid topgrain dark brown leather case for use as large-capacity shoulder case or back pack (rucksack). Movable partitions and accessory pockets with 'burrs' hold anywhere on inside lining to make compartments for camera, lenses, accessories. Large outside leather pocket (11x7x2"). Complete with partitions, adjustable leather strap, shoulder pad | 0393-30           | 140.00        |
| 10446 | UTILITY CASE (Made in USA) for Super Technika IV and V 4x5—21x9x11"—  Press type large capacity case of special fibre with metal reinforced corners.   | 0110.07           | 20.05         |
|       | Separate compartments for camera, holder, lenses, etc  | 9119-97<br>124-33 | 29.95<br>6.50 |
| 10424 | Adjustable Leather Shoulder Strap for Attache and Tropical cases   | 127-33            | 0.00          |

4.50

723-00



Cat. No.

### LENSES AND LENSBOARDS FOR SUPER TECHNIKA 4x5 - Model V

The following all-inclusive prices are for lenses **complete** with lens-matched range-finder focusing cam for any Super Technika V, 4x5 (Serial #78888 and up), lensboard with rapid-lock cable release socket, lens installation on board, two infinity stops and calibrated distance scale. (See Price List Section E for complete information about shutters, synchronization, etc.)

| Cat.<br>No. | mm f       |  | User<br>Net<br>Price |
|-------------|------------|--|----------------------|
|             | No         | rmal Lenses  |                      |
| 18133       | 121 8      | *Super Angulon complete  | 457.00               |
| 18116       | 135 5.6    | Technika Symmar complete   | 182.00               |
| 18129       | 135 3.5    | Technika Xenotar complete  | 271.00               |
| 18194       | 135 3.5    | Technika Zeiss Planar complete 47228-55 3M83228-55   | 341.00               |
| 18105       | 150 4.5    | Technika Xenar complete  | 164.00               |
| 18117       | 150 5.6    | Technika Symmar complete   | 207.00               |
| 18104       | 150 2.8    | Technika Xenotar complete 54307-92 3M58279-25  | 460.00               |
| 18118       | 180 5.6    | Technika Symmar complete   | 235.00               |
| 18119       | 210 5.6    | Technika Symmar complete   | 258.00               |
| 18127       | 240 5.6    |  | 354.00               |
|             | Wide       | e-Angle Lenses   |                      |
| 18139       | 75 8       | Technika Super Angulon complete  | 267.00               |
| 18196       | 75 4.5     | Technika Zeiss Biogon complete   | 902.00               |
| 18108       | 90 6.8     | Technika Angulon complete  | 176.00               |
| 18140       | 90 8       | Technika Super Angulon complete 67191-96 3M23175-53  | 281.00               |
|             | Tele       | photo Lenses   |                      |
| 18125       | 240 5.     | Technika Tele-Arton complete 43227-00 3M64206-80   | 338.00               |
| 18197       | 250 5.     | Technika Zeiss Sonar complete 82404-30 3M32404-30  | 604.00               |
| 18126       | 270 5.     |  | 381.00               |
| 18114       | 360 5.     | #Technika Tele-Xenar complete 63247-96 3M71225-50  | 369.50               |
|             |            | *For extreme swing and tilt adjustments. #Without rapid-lock cable release socket.   |                      |
|             | Lensboar   | ds For Super Technika 4x5 IV and V:  |                      |
| 10918       |            |  | / 25                 |
| 10980       | Lens Board |  | 6.25                 |
| 10981       | Lons Boar  | I tlat, with rapid-lock cable release socket; specify lens and shutter 4210-00  d (Type ONDR), recessed, with rapid-lock cable release socket; for | 15.00                |
| 10701       | 75mm       | and 90mm Super Angulon   | 15.00                |
| 10982       | Lens Boar  | d, recessed, with lens ring and rapid-lock cable release socket; Specify:  | 15.00                |
|             | ONB        | R for 75mm Biogon; ONPR for 135mm Planar; ONXR for 135mm   |                      |
|             | Xeno       | ar and 180mm Symmar  | 18.00                |
| 10974       | Lens Boar  | d Type ONR; with extension collar for 200mm or 250mm Imagon,   |                      |
|             |            | m Xenar, 210mm Angulon, and 360mm Tele-Xenar   | 12.50                |
| 10972       | Lens Boar  | d Adapter 23/45; adapts lenses mounted on Super Technika 23 lens-<br>ls to Super Technika IV/V 4x5 and Linhof-Color cameras                        | 22.00                |
| 10984       |            | d Adapter T70/45; adapts lenses mounted on Technika 70 lensboards  | 22.00                |
|             | to S       | per Technika IV/V 4x5  | 26.00                |
| 10966       | lensb      | d Adapter 45/57; adapts lenses mounted on Super Technika 4x5 pards to Super Technika 5x7   | 15.00                |
| 10917       | Micromet   | er Focusing Device on Super Technika 4x5 lensboard; accepts 53mm on and 65mm Super Angulon mounted on Super Technika 23 lensboard  2348-33         | 72.50                |

Cat. No.

## 4 x 5 ACCESSORIES - BACKS - HOLDERS

User Net Price

|       |  |           | LLICE  |
|-------|--|-----------|--------|
|       | FINDERS AND FINDER ACCESSORIES   |           |        |
| 10202 | MULTIFOCUS Universal Optical Viewfinder for 4x5 camera; adjustable for lenses  |           |        |
|       | from 90mm to 360mm focal length; parallax correction; automatic com-   |           |        |
|       | pensation for reduced angle at closer range; rotating mask for horizontal or vertical. May be used with extreme wide angle 75mm Biogon by adding |           |        |
|       | Correction Lenses listed below. — Viewfinder fits finder shoe of Super   |           |        |
|       | Technika 4x5   | 3869-67   | 104.50 |
| 10278 | Large eye-cup with foam rubber cushion for Multifocus finder   | 736-63    | 9.95   |
| 10276 | Viewfinder Correction Lens "A" for use with 75mm Biogon; shows fields for  | 730-03    | 7.73   |
| 10270 | 21/4×23/4", 21/4×31/4"   | 7113-00   | 19.50  |
| 10271 | 21/4×21/4 Mask for Multifocus Viewfinder   | 802-63    | 3.95   |
| 10273 | 21/4x23/4 Mask for Multifocus Viewfinder (Super and Cine Rollex Size)  | 912-63    |        |
| 10273 | 21/22// Mask for Multiferus Viewfielder  |           | 3.95   |
|       | 21/4x31/4 Mask for Multifocus Viewfinder   | 742-63    | 3.95   |
| 10274 | 31/4×41/4 (Polaroid) Mask for Multifocus Viewfinder  | 272-63    | 3.95   |
| 10207 | UNIVERSAL SPORTSFINDER with parallax correction; shows field of normal,  | 4404.00   | 20.00  |
|       | wide-angle and telephoto lenses; fits camera accessory shoe  | 6421-33   | 32.00  |
| 10203 | Shoe for mounting Multifocus Viewfinder or Sportsfinder to other cameras   | 045-00    | 7.50   |
| 10400 | Leather Case for Multifocus Viewfinder   | 275-83    | 8.75   |
| 10205 | Wire Frame Finder for Model III—replacement  | 485-30    | 7.95   |
| 10213 | Wire Frame Finder for Model IV and V—replacement   | 945-30    | 7.95   |
| 10264 | Plexiglass Wirefinder Mask 'TELE'; shows 4x5 field for telephoto lenses (240-  |           |        |
|       | 360mm) with Super Technika IV and V 4x5  | 173-30    | 4.95   |
| 10265 | Plexiglass Wirefinder Mask 'SR-N'; shows Super Rollex (21/4x23/4") field for   |           |        |
|       | normal lenses (127-240mm) with Super Technika IV and V 4x5   | 053-30    | 4.95   |
| 10266 | Plexiglass Wirefinder Mask 'SR-T'; shows Super Rollex (21/4x23/4") field for   |           |        |
|       | telephoto lenses (240-360mm) with Super Technika IV and V 4x5  | 083-30    | 4.95   |
| 10206 | Peep sight for Model III wire frame finder—replacement   | 645-00    | 7.50   |
| 10214 | Peep sight for Model IV and V wire frame finder—replacement  | 745-00    | 7.50   |
| 10211 | Focal Frame Finder for extreme close-ups (specify 4x5)   | 4120-63   | 30.95  |
| 10212 | Kalart Focuspot with Fittings for Super Technika IV and V 4x5  | 489-97    | 14.95  |
|       |  |           |        |
|       | BACKS  |           |        |
| 10320 | 4x5 Universal Back with Ektalite Field Lens replacement  | 7668-67   | 103.00 |
| 10321 | 4x5 Back and Focusing Panel for use with Graflex accessories   | 7843-33   | 65.00  |
| 10322 | 4x5 Back for use with Graflex accessories  | 4820-00   | 30.00  |
| 10326 | Reducing Back 4x5 to 21/4x31/4"; for use with Linhof, or standard American   |           |        |
|       | double cut film holders, film pack adapters, etc   | 7666-33   | 99.50  |
|       | FILM HOLDERS   |           |        |
| 10313 | 4x5 Linhof Super Double Cut Film Holder with film numbering device, full-  | 789-30    | 13.95  |
|       | width erasable notation panels. (State numerals desired when ordering)   | 6M218-35  |        |
| 10311 | 4x5 Linhof Double Cut Film and Plate Holder with film ejector and film num-  | 9313-30   | 19.95  |
|       | bering device (state numerals desired when ordering)   | 6M4011-95 |        |
| 10309 | 21/4x31/4 Linhof Double Cut Film and Plate Holder with film ejector  | 4711-15   | 16.75  |
|       |  | 6M4710-05 |        |
| 10353 | CINE ROLLEX 70mm film holder for Linhof 4x5 Universal Back and 4x5 Graflok   |           |        |
|       | Back. Takes up to 53 exposures 21/4x23/4" on perforated 70mm film. Supplied  |           |        |
|       | complete with one empty film cartridge   | 93133-00  | 199.50 |
| 10355 | Film Cartridge with Spool, 70mm; holds film for up to 53 exposures 21/4x23/4";   | 633-17    | 4.75   |
|       | empty  | 6M732-85  |        |
| 10359 | Pocket Case for two 70mm film cartridges   | 105-00    | 7.50   |
| 10356 | Geared Film Winder, 70mm; for loading cartridges from bulk film rolls  | 3568-33   | 102.50 |
| 10351 | SUPER ROLLEX 21/4x23/4" (56x72mm) for use with 4x5 Universal Back; roll film   |           |        |
|       | adapter with single throw fast advance lever, automatic stop, exposure   |           | 3.7    |
|       | counter, for 10 exposures on No. 120 film. All metal with sierra tan leather   |           |        |
|       |  | 7576-65   | 115.00 |
|       | grain covering. Fits all Linnot 4x5 cameras  |           |        |
| 10354 | grain covering. Fits all Linhof 4x5 cameras  | 8346-30   | 69.50  |



## 4 x 5 ACCESSORIES - FLASH - CASES - LENS BOARDS - MISCELLANEOUS

User Net Price

|       | FLASH EQUIPMENT   |         |        |
|-------|---|---------|--------|
|       | Use of Heiland or Graflite Flashguns: The flashgun bracket of the Super Technika 4x5 accepts the standard Heiland E clamp. To attach a Graflite gun, the Heiland E clamp may be used, or the following installation is available: |         |        |
| 10903 | Graflite Plate only   | 721-47  | 1.95   |
| 10904 | Graflite Plate, supplied and installed  | 883-75  | 5.00   |
| 10905 | Heavy Duty Rangefinder Encircling Bracket; permits carrying camera by flash gun battery case. Specify Heiland or Graflite mount (not included)  | 806-63  | 9.95   |
| 9800  | Installation of Heavy Duty Rangefinder Bracket  | 933-00  | 4.00   |
| 10906 | Heiland Solenoid  | 7112-38 | 16.50  |
|       | Installation and Synchronization of Heiland Solenoid:   |         |        |
| 19800 | For average-size shutter  | 704-50  | 6.00   |
| 19800 | For oversize shutter  | 666-00  | 8.00   |
|       | LEATHER CASES FOR INDIVIDUAL LENSES   |         |        |
|       | Cases are made of the finest quality topgrain cowhide, lined with maroon duveteen.  |         |        |
| 10415 | Lens Case 45-2 for lenses on 4x5 lens boards: 90mm Angulon—135mm Symmar—135mm Xenotar—135mm Planar—150mm Tessar—150mm Symmar—150mm Xenar  | 217-00  | 10.50  |
| 10416 | Lens Case 45-4 for lenses on 4x5 lens boards: 90mm Super Angulon—150mm Xenotar—180mm Symmar—240mm Tele-Arton—270mm Tele-Arton—360mm Tele-Xenar .  | 218-33  | 12.50  |
|       |   |         |        |
|       | LENS BOARDS, LENS ADAPTERS, LENS MOUNTS   |         |        |
|       | For Super Technika 4x5 III:   |         |        |
| 10912 | Lens Board III flat, blank  | 924-17  | 6.25   |
| 10913 | Lens Board III recessed, blank  | 785-57  | 8.35   |
| 10971 | Lens Board Adapter III/IV; adapts lenses mounted on Super Technika 4x5III lensboards to S.T.4x5IV and Linhof-Color cameras  | 8719-30 | 29.00  |
| 10965 | Lens Board Adapter 45111/57; adapts lenses mounted on Super Technika 4x5111   | 4110.00 | 15.00  |
| LOOLE | lensboards to Super Technika 5x7  | 4110-00 | 15.00  |
| 10915 | 65mm Super Angulon mounted on Super Technika 23 lensboard   | 7248-33 | 72.50  |
|       | MISCELLANEOUS ACCESSORIES   |         |        |
| 10304 | Groundglass Focusing Adapter 4x5 for use with Polaroid Back 31/4x41/4"  | 7427-65 | *39.50 |
| 10342 | Focus Compensator for using Polaroid Back with Multifocus Rangefinder on Super Technika III 4x5   | 6812-33 | 18.50  |
| 10343 | Focus Compensator for using Polaroid Back with Multifocus Rangefinder on Super Technika IV and V 4x5  | 4212-33 | 18.50  |
| 10204 | Cross Spirit Level; fits finder shoe of 4x5 camera  | 713-97  | 5.95   |
|       |   |         |        |

No.



SUPER TECHNIKA 5x7, Model V; new universal swing-and-tilt lens standard with lateral shift; Multifocus rangefinder for all lenses from wide-angle to 500mm telephoto; revolving interchangeable back. Supplied complete with blanklens board, blank distance scale slide, blank rangefinder coupling cam built-in spirit level. Leather grained Sierra Tan finish with chrome trim

Cat. No. 10072 [A14752-00] [3MA16714-00] — without lens . . . . 940.0

Multifocus Universal Optical Viewfinder for 5x7 cameras; adjustable for lenses from 120mm to 500mm focal length; parallax correction; automatic compensation for field reduction at close range; rotating mask for horizonta or vertical. Fits finder shoe

| Cat. No. | 10210 |  |  |  |  |  |  |  | 1616-61 | 115.0 |
|----------|-------|--|--|--|--|--|--|--|---------|-------|
|          |       |  |  |  |  |  |  |  |         |       |
|          |       |  |  |  |  |  |  |  |         |       |

| 10452 | ANATOMICAL GRIP, for installation in place of leather handle on Super Technika 5x7; complete with mounting plate, adjustable strap, cable release | 5226-30 | 39.50 |
|-------|---|---------|-------|
| 10207 | UNIVERSAL WIRE FRAME FINDER with parallax correction; shows field of normal, wide-angle and telephoto lenses; fits on camera accessory shoe       | 6421-33 | 32.00 |
| 10219 | Ektalite field lens 5x7, for Linhof 5x7 Ground Glass Back   | 7834-50 | 46.00 |

#### 5x7" CAMERA-LENS COMBINATIONS

Most lenses from 120mm (43/4") wide-angle to 300mm (12") normal, and up to 500mm (20") telephoto, can be coupled to the Multifocus Rangefinder of the Super Technika 5x7. For installation charges, see page D-7.

### LENSES FOR SUPER TECHNIKA 5x7 — See Section E for complete listing of lenses.

|       | LENS BOARDS  |         |        |
|-------|--|---------|--------|
| 10914 | Lens Board, flat, blank, for Super Technika 5x7  | 643-83  | 5.75   |
| 10983 | Lens Board 57, flat, with rapid-lock cable release socket; specify lens and shutter  | 128-97  | 13.45  |
| 10916 | Micrometer Focusing Device for Super Technika 5x7; accepts 75mm Biogon   |         |        |
|       | or 90mm Super Angulon mounted on 4x5 lensboard   | 4775-00 | 112.50 |
| 10965 | Lens Board Adapter 45III/57; to use lenses mounted on Super Technika 4x5 III   | 0710.00 | 15.0   |
| 10966 | lens board with the Super Technika 5x7 camera  | 0710-00 | 15.00  |
| 10700 | Lens Board Adapter 45/57; to use lenses mounted on Super Technika 4x5 IV/V lens board with the Super Technika 5x7 camera                     | 0610-00 | 15.00  |
|       | MISCELLANEOUS ACCESSORIES  |         |        |
| 10400 | Leather Case for Multifocus Viewfinder   | 235-83  | 8.79   |
| 10215 | 4x5 Mask for 5x7 Multifocus Finder   | 642-63  | 3.9    |
| 10327 | Reducing Frame to use 4x5 Linhof Universal Back (10320) or 4x5-to-21/4x31/4 Re-  |         |        |
|       | ducing Back (10326) on Super Technika 5x7  | 5127-38 | 36.5   |
| 10320 | 4x5 Linhof Universal Back with Ektalite Field Lens   | 7468-67 | 103.0  |
| 10326 | Reducing Back 4x5-to-21/4x31/4   | 8166-33 | 99.5   |
| 10211 | Focal Frame Finder for extreme close-ups (specify 5x7)   | 4120-63 | 30.9   |
| 10391 | Adjustable Cloth Focusing Hood with zipper for 5x7 cameras   | 857-65  | 11.5   |
| 10212 | Kalart Focuspot for Super Technika   | 339-97  | 14.9   |
| 10450 | Original Linhof 5x7 ATTACHE CASE—22x171/2x7"—finest quality top grain cowhide, plush lined throughout, with compartments for camera, 2 extra |         |        |
|       | lenses, Multifocus Viewfinder, 6 double cut film holders, accessories  | 2896-67 | 140.0  |

No.

10805

10806

10830

10327

10320

10326

### KARDAN - COLOR CAMERAS and ACCESSORIES

User Net Price



#### CAMERAS

KARDAN-Color 5x7 DUPLEX CAMERA with 24" monorail, front and back standards, 22" bellows, revolving interchangeable 5x7 ground glass spring back, folding focusing hood, flat lens board adapter frame for Linhof 5x7 lens board, tripod adapter base

without lens

A12473-60 A3M15449-90\*

592.00#

10802

KARDAN-Color 8x10 DUPLEX CAMERA with 24" monorail, front and back standards, conical bellows, revolving interchangeable 8x10 ground glass back with transverse locking lever for easy insertion of 8x10 holders, focusing cloth support frame, flat lens board adapter frame for Linhof 5x7 lens board, tripod adapter base

without lens

A11653-60 A3M14620-90\*

817.00#

#### CONVERSION OUTFIT

All components of Kardan-Color cameras are interchangeable to permit perfect adaptation of the camera to specific photographic problems.

KARDAN TRIPLEX CONVERSION OUTFIT; converts 5x7 or 8x10 Duplex models to longer (Triplex) cameras; 39" monorail; additional square 22" bellows: bellows center support standard with same adjustability as front standard

71208-80 261.00

KARDAN 5x7/8x10 CONVERSION OUTFIT; converts 5x7 models to 8x10: Conical 8x10 bellows, 8x10 Back Standard, 8x10 Ground Glass Spring Back

598.00 78478-40

#### INTERCHANGEABLE BACKS AND REDUCING FRAMES

8x10-to-5x7 REDUCING FRAME for 8x10 Kardan-Color camera: permits use of 5x7 revolving around glass spring back; or, in combination with 5x7 Reducing Frame 10327, accepts 4x5 Universal Back and 21/4x31/4 back . . .

9670-40 88.00

5x7-to-4x5 REDUCING FRAME for 5x7 Kardan-Color or Super Technika cameras; permits use of 4x5 Universal Back and 21/4x31/4 back; also serves to adapt these backs to 8x10 Kardan-Color camera in combination with 8x10 Reducing Frame 10830

4327-38 36.50

10324 5x7 GROUND GLASS BACK with folding focusing hood; (supplied as standard equipment with 5x7 Kardan-Color and Super Technika cameras). Available separately for use as revolving back on 8x10 Kardan-Color camera in combination with 8x10 Reducing Frame 10830

5672-75 97.00

4x5 UNIVERSAL BACK (as supplied with 4x5 Super Technika camera) with Ektalite field lens; for use on Linhof 5x7 or 8x10 cameras in combination with 

7668-67 103.00

21/4×31/4 GROUND GLASS SPRING BACK for using 21/4×31/4 cut films, plates, film magazines, or film pack adapters on 5x7, and 8x10 cameras in combination with Reducing Frames 10327 and 10830 . . . . . . . .

99.50 8666-33

NOTE: Linhof Cine Rollex and Super Rollex Roll Film Adapters may be used on 5x7 and 8x10 cameras in combination with the 4x5 Universal Back and appropriate Reducing Frames. #Slightly higher west of the Mississippi.



| Cat.<br>No. | KARDAN ACCESSORIES - UNIVERSAL ACCESSORY STAND  |          | User<br>Net<br>Price |
|-------------|---|----------|----------------------|
|             | LENS BOARDS   |          |                      |
| 10825       | Lens Board, flat, blank, for Kardan-Color cameras   | 8413-60  | 17.00                |
| 10914       | 5x7 Lens Board, flat, accepts lenses for mounting on Lens Board adapters 10823 or 10829   | 643-83   | 5.75                 |
| 10823       | Lens Board Adapter 57/K/R, deeply recessed, for using wide-angle lenses mounted on 5x7 lens board   | 8521-60  | 27.00                |
| 10829       | Lens Board Adapter 57/K, flat, for using lenses mounted on 5x7 lens board   | 8621-60  | 27.00                |
|             | MISCELLANEOUS CAMERA ACCESSORIES  |          |                      |
| 10820       | COMPENDIUM BELLOWS LENS SHADE for Kardan-Color 5x7 or 8x10 camera; attaches to lens standard. With adjustable pantograph strut for controlling extension and direction of shade   | 1448-80  | 61.00                |
| 10840       | Metal-clad Carrying Case for Kardan 5x7 Duplex  | 21122-40 | 153.00               |
| 10841       | Metal-clad Carrying Case for Kardan 8x10 Duplex   | 31148-00 | 185.00               |
| 10866       | Kardan Pan/Tilt Head for use on standard tripods  | 3454-80  | 68.50                |
|             | See Section F for Professional Tripods  |          |                      |
| 10700       | BASIC UNIVERSAL STAND, for use with all cameras up to 4 x 5". Warpproof 23x25" baseboard with four adjustable leveling tips, 37" detachable steel upright column, spirit level, camera support arm with variable friction drive, rotating camera stage for vertical and horizontal positioning; supplied with special socket wrench for column locking ring | 71133-50 | 178.00               |
|             | MACRO Photography Accessories   |          |                      |
| 10764       | Lens Board for Technika 70 with conical tube and flange for macro lenses  | 329-95   | 14.9                 |
| 10760       | Lens Board for '23' camera with conical tube and flange for macro lenses  | 427-47   | 11.20                |
| 10761       | Lens Board for 4x5 (III) camera with conical tube and flange for macro lenses   | 459-95   | 14.9                 |
| 10763       | Lens Board for 4x5 (IV and V) camera with conical tube and flange for macro lenses  | 839-95   | 14.95                |
| 10762       | Lens Board for 5x7 camera with conical tube and flange for macro lenses   | 279-95   | 14.9                 |
| 10710       | 16mm f/2.5 Macro lens in barrel, with adapter to fit conical tube   | 8579-50  | 106.00               |
| 10711       | 25mm f/3.5 Macro lens in barrel, with adapter to fit conical tube   | 7468-25  | 91.00                |
| 10712       | 40mm f/4.5 Macro lens in barrel, with adapter to fit conical tube $\dots$   | 1460-75  | 81.00                |
| 10713       | 63mm f/4.5 Macro lens in barrel, with adapter to fit conical tube   | 2465-25  | 87.0                 |
| 10714       | 100mm f/6.3 Macro lens in barrel, with adapter to fit conical tube  | 9583-25  | 111.0                |
| 10715       | Compur MX synchronized shutter with adapter flanges for use with macro lenses 16-25-40-63-100mm in combination with conical lens mount  | 6844-25  | 59.00                |




| Cat.<br>No.    | ENLARGING - COPYING - MICRO - ACCESSORIES   |           | User<br>Net<br>Price |
|----------------|---|-----------|----------------------|
|                | ENLARGING (PROJECTION PRINTING) ACCESSORIES   | HINASI DA |                      |
| 10724<br>10725 | CONDENSOR ENLARGING ATTACHMENT for use with Super Technika 4x5 and Linhof-Color 4x5 cameras. Without lamp or negative carrier Condenser Enlarging Attachment for use with Super Technika 23 and Linhof-   | 81111-67  | 167.50               |
|                | Color 23 cameras. Without lamp or negative carrier  | 91111-67  | 167.50               |
|                | Accessories for 4x5 Condensor Enlarging Attachment:   |           |                      |
| 10735          | Negative Carrier for 4x5" cut film  | 0416-00   | 24.00                |
| 10738          | $2\frac{1}{4}x^{2}\frac{1}{4}$ " mask for $4x^{5}$ " negative carrier   | 622-35    | 3.50                 |
| 10734          | $2^{1}/_{4}$ x $2^{3}/_{4}$ " mask for 4x5" negative carrier  | 482-35    | 3.50                 |
| 10736          | $2^{1}/_{4} \times 3^{1}/_{4}$ " mask for $4 \times 5$ " negative carrier   | 712-35    | 3.50                 |
| 10723          | Tri-Color Filter Turret with 3 balanced filters; for 42-51-60mm front, dia. lenses  | 8663-00   | 94.50                |
|                | PHOTOMICROGRAPHY Accessories  |           |                      |
| 10769          | Lens Board with telescoping microscope adapter for Technika 70  | 6212-30   | 18.50                |
| 10770          | Lens Board with telescoping microscope adapter for '23' camera  | 210-00    | 15.00                |
| 10772          | Lens Board with telescoping microscope adapter for 4x5 (III) camera   | 8712-30   | 18.50                |
| 10776          | Lens Board with telescoping microscope adapter for 4x5 (IV and V) camera  | 02-12-30  | 18.50                |
| 10774          | Lens Board with telescoping microscope adapter for 5x7 camera   | 8812-30   | 18.50                |
| 10771          | 21/4×31/4" Micrograin Ground Glass with clear center spot and cross hairs   | 713-30    | 4.95                 |
| 10777          | 4x5" Micrograin Ground Glass with clear center spot and cross hairs   | 953-83    | 5.75                 |
| 10773          |   | 6826-33   | 39.50                |
| 10778          | 4x5" Focusing Panel, as above, for Linhof 4x5 (IV and V) Universal Back   | 2726-33   | 39.50                |
| 0775           | 5x7" Micrograin Ground Glass with clear center spot and cross hairs   | 325-30    | 7.95                 |
| 10717          | Compur MX synchronized shutter for use with microscope adapter lens boards .  | 6538-25   | 51.00                |
|                | LIGHTING UNIT for Copying, Macro Photography, etc.  |           |                      |
| 10750          | BASIC COPY LIGHT UNIT. Adjustable lamp support frame (Maximum adjustment 34x35") consisting of four satin chrome rods with four two-way locking clamps; one Reflector Lamp on adjustable arms with two clamps; 5 ft. rubber-clad cable, switch and socket. Without bulb | 0959-25   | 79.00                |
| 10751          | REFLECTOR LAMP for use on Copy Light Unit; mounted on adjustable arms with two clamps; 5 ft. rubber-clad cable, switch and socket. (Up to four Reflector Lamps can be mounted on Copy Light Unit) each  | 7129-25   | 39.00                |
| 10752          | LIGHT CONTROL BOX with four outlets for connection to individual Reflector Lamps. On and Off switches for each lamp. Bulbs may be used at half voltage (for focusing and composition) and full voltage (for exposure).  |           |                      |
|                | Complete with power cable and plug  | 1427-75   | 37.00                |

Price

### **BOOKS-MAGAZINES**

Linhof





The following publications by GROSSBILD PUBLISHING COMPANY are devoted exclusively to large-format photography. They are renowned for the superb quality of their full-color and black-and-white reproductions. All textual material contains up-to-date, expertly written information on virtually every aspect of applied large-format techniques.

## INTERNATIONAL PHOTO TECHNIK (formerly GROSSBILD) MAGAZINE — BOOKS

|       | MAGAZINE — BOOKS  |                       |       |
|-------|---|-----------------------|-------|
| 10957 | MANUAL OF APPLIED PHOTOGRAPHY. Comprehensive 372-page volume on every phase of professional camera technique. 25 chapters, over 600 illustrations, diagrams, tables; many full-color pages. 9x111/2", with gold-stamped hard linen cover; supplied in protective sleeve | 4713-30<br>3M4811-97* | 19.95 |
| 10951 | TECHNIQUES OF ADVERTISING PHOTOGRAPHY. Outstanding reference manual for everyone concerned with modern advertising. 270 pages, over 400 illustrations, many full-color pages. 9x111/2", with laminated smudge-proof hard cover  | 1813-30<br>3M1911-95* | 19.95 |
| 10952 | LINHOF PRACTICE (New Revised Edition). The encyclopedia of large-negative photography. Over 200 pages, 91/4x111/2" Library Size, 400 illustrations, many four-color, explanatory diagrams, tables, Smudge proof varnished hard cover                                    | 949-95<br>3M848-95*   | 14.95 |
| 10954 | INTERNATIONAL PHOTOS. 200 pages containing a collection of 100 outstanding full-page 91/4×111/2" color and black-and-white examples of exquisite large-format photography, with technical information and comments of the photographers. Varnished hard cover           | 277-87<br>3M167-00*   | 10.50 |
| 10956 | INTERNATIONAL PHOTOS, Vol. II. Additional book, similar to above, with another collection of 100 full page reproductions  | 397-87                | 10.50 |
| 10955 | INTERNATIONAL PHOTOS, VOLUME III—Latest Issue   | 629-70<br>3M438-60*   | 12.95 |
| 10953 | LINHOF TECHNIQUE DATA SHEET MANUAL. An effective, easy-to-understand short course on using the camera movements (swings, tilts, etc.) of professional cameras for the correction of perspective, distortion, etc.   | 461-35<br>6M561-20*   | 2.00  |
| 10950 | INTERNATIONAL PHOTO TECHNIK (English Language Edition). The unique quarterly magazine published exclusively for the photographer interested in every phase of fine photography with large-negative cameras.   |                       |       |
|       | By subscription per year (check must accompany order) (4 issues)  | 743-80                | 4.75  |
|       | Dealer minimum quantity order 6 copies per issue—quarterly  | 6M345-00              |       |

\*May be assorted.

September 1963 Confidential for dealer use.

## Cat. No.

Linhof

## LINHOF SLIDE PROJECTOR - ANATOMICAL CAMERA GRIPS

User Net Price

| No.   |   |          | Price  |
|-------|---|----------|--------|
|       | 10701 LINHOF SLIDE PROJECTOR. 500W.   |          |        |
|       | with 85x85mm slide changer for  |          |        |
|       | 21/4x23/4" transparencies; complete   |          |        |
|       | with 200mm f/4 Leitz DIMAR projec-  |          |        |
| -     | tion lens, high-efficiency blower sys-  | 74224 00 | 339.00 |
|       | tem, 500W lamp, (for AC only)  NOTE: Projection lenses of longer focal lengths available of | 74226-00 | 339.00 |
|       |   | 8226-33  | 39.50  |
|       | 10461 Carrying Case for Linhof Slide Projector  | 8220-33  | 37.50  |
|       | 10704 500 Watt Projection Lamp 500TIOP for Linhof Projector                                 | 733-37   | 5.10   |
|       | 10703 Adapter frames to show $2\frac{1}{4}x^{2\frac{1}{4}}$ slides                          | 755-57   | 3.10   |
|       | with Linhof Projector pair  | 874-90   | 7.35   |
|       |   |          |        |
|       | CONVERSION OUTFITS FOR 2x2 SLIDE PROJECTION   |          |        |
|       | Complete outfits to convert the Linhof Projector for brilliant projection of 2x2" slides:   |          |        |
|       | Projection lens in focusing mount; interchangeable projector front with rotatable stage;    |          |        |
|       | 2x2" slide changer; interchangeable 50x50mm aspherical condenser; interchangeable           |          |        |
|       | 50x50mm heat absorbing filter.  | 1440.45  | 00.50  |
| 10705 | 2x2 Conversion Outfit for Linhof Projector; with 100mm f/2.8 Leitz Dimaron lens             | 1462-65  | 89.50  |
| 10706 | 2x2 Conversion Outfit for Linhof Projector; with 150mm f/2.8 Leitz Dimaron lens             | 2583-65  | 119.50 |
|       | SLIDE ACCESSORIES   |          |        |
| 10700 |   | 704.00   | 7.05   |
| 10780 | 21/4×23/4" Masks for 85×85 slides pkge. of 100  | 724-83   | 7.25   |
| 10785 | Gummed Binding Strips for 85x85mm glass slides; 3 black and 1 white (titling) strip         | 971-17   | 1.75   |
| 10781 | for each slide  | 612-50   | 3.75   |
| 10782 | Gummed Binding Frames for 85x85mm slide glass pkge. of 100                                  | 874-50   | 6.75   |
| 10783 | 85x85mm Slide Cover Glass, regular  | 4115-00  | 22.50  |
| 10784 | 85x85mm NEWLO (anti-Newton ring) Cover Glass pkge. of 100                                   | 6410-67  | 16.00  |
| 10/04 | DeLuxe Wood Slide Chest for 85x85mm Slides (holds about 200)                                | 0410-07  | 10.00  |
|       | ANATOMICAL HAND GRIPS FOR LINHOF CAMERAS  |          |        |
| 10428 | Anatomical Grip (left hand) for Super Technika and Graphic 21/4x31/4"                       | 6226-30  | 39.50  |
| 10445 | Anatomical Grip (left hand) for Super Technika 4x5"   | 4226-30  | 39.50  |
| 10452 | Anatomical Grip (left hand) for Super Technika 5x7"   | 5226-30  | 39.50  |
| 10492 | Anatomical Grip (right hand); fits on flash bracket of all Linhof Super Tech-               |          |        |
|       | nikas. Not to be used as carry handle   | 8226-30  | 39.50  |
|       |   |          |        |
|       | ANATOMICAL HAND GRIPS FOR MISCELLANEOUS CAMERAS   |          |        |
| 10491 | Anatomical Grip (left hand) for 4x5 Speed Graphic   | 5226-30  | 39.50  |
| 10487 | Anatomical Grip (left hand) for 35mm Still Cameras  | 7826-30  | 39.50  |
| 10488 | Anatomical Grip (right hand) for 35mm Still Cameras   | 3726-30  | 39.50  |
| 10480 | Anatomical Grip (left hand) for Bolex HI6 or H8 cameras                                     | 4927-67  | 41.50  |
| 10481 | Anatomical Grip (left hand) for Bolex B-C-D 8mm cameras                                     | 6527-67  | 41.50  |
| 10482 | Anatomical Grip (left hand) for Eumig C16 camera  | 8327-67  | 41.50  |
| 10483 | Anatomical Grip (left hand) for Bauer 8mm cameras   | 1427-67  | 41.50  |
|       | NOTE: Above prices (except 10492) include adjustable hand strap and detachable cable re     | lease.   |        |
|       |   |          |        |
|       | ANATOMICAL GRIP COMPONENTS FOR LINHOF CAMERAS   |          |        |
| 10992 | Grip Base Assembly; for attaching Grip Handle to Super Technika 21/4x31/4"                  | 040.33   | 10.50  |
|       | or to mounting plate for Super Technika 4x5 replacement                                     | 248-33   | 12.50  |
| 10991 | Mounting Plate for attaching Grip Base Assembly to Super Technika 4x5                       | 945-67   | 8.50   |
| 10003 | Anatomical Grip Handle (left hand); fits on Base 10992 replacement                          | 4717-67  | 26.50  |
| 10993 |   | T/1/-0/  | 20.50  |
|       | See Page D-17 for replacement Cable Releases.   |          |        |

#### CABLE RELEASES

Super Technika 45—Anatomical Grip . . .

Super Technika 57—Bed Release . . . .

Super Technika 57—Anatomical Grip . . . .

User Net Price

Linhof Cable Releases are available with locking release plungers to permit holding shutters open for focusing, and for time exposures, (T). This type of release is recommended for all-round use. Release cables are encased in a tough clear plastic as extra protection against dust and moisture.

|         | 1949, Start Planta de extra protection against aust and moistaire.   |       |
|---------|--|-------|
|         | Complete Cable Releases  |       |
| 10921   | 81/4" Cable Release with 'T' lock  | 6.95  |
| 10941   | 81/4" Cable Release without lock   | 4.75  |
| 10922   | 12" Cable Release with 'T' lock  | 7.45  |
| 10942   | 12" Cable Release without lock   | 5.25  |
| 10923   | 131/2" Cable Release with 'T' lock   | 7.45  |
| 10943   | 131/2" Cable Release without lock  | 5.25  |
| 10924   | 17" Cable Release with 'T' lock  | 7.95  |
| 10944   | 17" Cable Release without lock   | 5.75  |
| 10925   | 21" Cable Release with 'T' lock  | 8.25  |
| 10945   | 21" Cable Release without lock   | 5.95  |
| 10926   | 30" Cable Release with 'T' lock  | 10.45 |
| 10946   | 30" Cable Release without lock   | 7.95  |
| 10939   | 40" Cable Release with 'T' lock  | 11.75 |
|         | Replacement Cables only (without release plunger)  |       |
| 10927   | 81/4" Replacement Cable  | 3.75  |
| 10928   | 12" Replacement Cable  | 4.25  |
| 10929   | 131/2" Replacement Cable   | 4.25  |
| 10930   | 17" Replacement Cable  | 4.75  |
| 10935   | 21" Replacement Cable  | 4.95  |
| 10936   | 30" Replacement Cable  | 6.25  |
| 10937   | 40" Replacement Cable  | 8.95  |
|         | Release Accessories  |       |
| 10931   | Plug-in Release Holder (attaches release to camera bed of Super Technika 21/4x31/4, 4x5, and 5x7)                          | 1.75  |
| 10932   | Prismatic Release Holder (attaches to bed of Super Technika 4x5 cameras up to Serial Number 39999)                         | 1.75  |
|         | Passward of Cable Israel for an office annual and accommend  |       |
| Super T | Recommended Cable length for specific cameras and accessories:  echnika 23—Bed Release 81/4" Speed Graphic—Anatomical Grip | 17"   |
|         | echnika 23—Anatomical Grip 131/2"  Anatomical Grip for 35mm cameras .  |       |
|         | Press 23—Anatomical Grip 12"  Anatomical Grip for Bolex 8mm  |       |
|         | Angle Technika   |       |
|         |  |       |
| Super 1 | echnika 45—Bed Release 12" Anatomical Grip for Bauer 8mm   | 12    |

Anatomical Grip for Eumig . . . .

\* Specify: SQUARE Thread.



#### FILTERS - POLARIZING SCREENS - DIFFUSION DISKS

Filters, Polarizing Screens, and Diffusion Disks are supplied in two styles: in tabbed slip-in mounts to fit the LINHOF Lens Shade/Filter Holders listed on the opposite page, and in slip-on mounts for the 75mm Biogon and 250mm Sonnar.

STANDARD Filters are available in the following types (PLEASE SPECIFY):

| UV   | (0x) | Green I | (2x) | Orange | (4x) | Red 2 (10x)   | Yellow 2 | (3x) |
|------|------|---------|------|--------|------|---------------|----------|------|
| Blue | (2x) | Green 2 | (3x) | Red I  | (8x) | Yellow I (2x) | Yellow 3 | (4x) |

DECAMIRED Filters for color correction are available in the following types (PLEASE SPECIFY):

R 1.5 SKYLIGHT (0x) R 6 ( $1\frac{1}{2}x$ ) B 1.5 (0x) reduces reddish light B 6 (2x)

R 3 (0x) R12 (2x) B 3 (11/2x) B 12 (3x) daylight to tungsten Use of a color temperature meter (such as GOSSEN Sixticolor) is recommended for filter determination.

INFRA RED Filters, when used with infra-red emulsions, transmit only infra-red (750mu).

POLARIZING SCREENS are useful in minimizing reflections from non-metallic surfaces, and for darkening the sky in color photography.

DIFFUSION DISKS for soft effects in portrait, landscape or advertising photography are available in two types (PLEASE SPECIFY): I—for moderate diffusion; II—for strong diffusion.

WHEN ORDERING, SPECIFY CATALOG NUMBER BELOW—AND EXACT FILTER TYPE REQUIRED; SEE COMPLETE PRICE LIST IN NUMERICAL SEQUENCE BELOW.

| For use with                  | STANDARD<br>filters | DECAMIRED filters | INFRA RED filters | POLARIZING screens | DIFFUSION<br>disks |
|-------------------------------|---------------------|-------------------|-------------------|--------------------|--------------------|
| 42mm Lens Shade/Filter Holder | 10530               | 10533             | 10561             | 10544              | 10564              |
| 51/42mm " " " "               | 10531               | 10534             | 10562             | 10545              | 10565              |
| 60/51mm " " " "               | 10532               | 10535             | 10563             | 10546              | 10566              |
| 70/60mm " " " "               | 10532               | 10535             | 10563             | 10546              | 10566              |
| ZEISS " " " " "               | 10532               | 10535             | 10563             | 10546              | 10566              |
| 250mm Sonnar (80mm diam)      | 10573               | 10539             | 10574             | 10580              | _                  |
| 75mm Biogon (100mm diam)      | 10570               | 10538             | _                 | 10579              | -1.—184<br>        |

#### Filter Price List

| CatNo.          | User<br>Net | CatNo.        | User<br>Net      | CatNo.          | User<br>Net | CatNo.       | User<br>Net      |
|-----------------|-------------|---------------|------------------|-----------------|-------------|--------------|------------------|
| 10530 [914-30]  | 6.50        | 10538 [7233-0 | 00] 49.50        | 10562 [488-63]  | 12.95       |              |                  |
| 10531 [925-65]  | 8.50        | 10539 [7219-6 | 57] 29.50        | 10563 [8115-97] | 23.95       | 10573 [0416- | 30] <b>24.50</b> |
| 10532 [729-65]  | 14.50       | 10544 [8111-9 | 75] <b>17.95</b> | 10564 [675-00]  | 7.50        | 10574 [0419- | 83] <b>29.75</b> |
| 10533 [525-30]  | 7.95        | 10545 [6415-6 | 57] 23.50        | 10565 [399-65]  | 14.50       | 10579 [4746- | 30] 69.50        |
| 10534 [617-97]  | 11.95       | 10546 [0925-0 | 00] 37.50        | 10566 [4115-00] | 22.50       | 10580 [4634- | 67] <b>52.00</b> |
| 10535 [6211-95] | 17.95       | 10561 [756-63 | 3] 9.95          | 10570 [0226-30] | 39.50       |              |                  |

## COLOR CORRECTION and CONVERSION FILTERS; supplied on Special Order. SPECIFY exact filter designation.

| 10540 | CC Filter for 42mm Lens Shade/Filter Holder                    | 148-30  | 12.50 |
|-------|--|---------|-------|
| 10541 | CC Filter for 51/42mm Lens Shade/Filter Holder                 | 1710-30 | 15.50 |
| 10542 | CC Filter for 60/51, 70/60, and Zeiss Lens Shade/Filter Holder | 1413-65 | 20.50 |



Cat. LENS SHADES AND FILTERS

User Net Price

| 140.  |   |   | FFICE   |
|---|---|---|---|
|   | COMBINATION LENS SHADE/FILTER HOLDER — Clamps on lens mount; fits front lens diameters listed, and can be used with other diameters by adding Reduction Rings listed below. Supplied with one blank filter ring and deep, unbreakable lens shade which can be removed for use with wide-angle lenses. See complete listing of filters, polarizing screens and diffusion disks on opposite page. |   |   |
| 10500<br>10501<br>10502<br>10503<br>10504                   | Shade/Filter Holder 42mm (for Linhof 42mm filters)  | 6810-60<br>4713-97<br>7116-60<br>6119-97                                | 15.95<br>20.95<br>24.95<br>29.95                          |
|   | (for Linhof 70mm filters)**   | 8119-97   | 29.95   |
|   | SCREW-IN SHADES FOR ANGULON LENSES. The front diameter of these shades is dimensioned to accept one of the above filter holders (lens shade of filter holder must be removed!).   |   |   |
| 10516<br>10518<br>10525                                     | 32mm Screw-in Shade (accepts 51mm filterholder)   | 432-50<br>533-17<br>723-50  | 3.75<br>4.75<br>5.25                                      |
| 10509   | OTHER LENS SHADES  Slip-on Shade for 80mm front diameter lenses (250mm Sonnar, 150mm Xenotar); fits   |   |   |
| 10591   | also on 80mm filters  | 688-33  | 12.50   |
|   | filter frames for 4x4" gelatine filters or vignetting masks at the back and front.  | 8233-00   | 49.50   |
| 10552<br>10553<br>10554<br>10555<br>10556<br>10557<br>10558 | REDUCTION RINGS for Combination Lens Shade/Filter Holders.  42-to-32mm Reduction Ring   | 145-30<br>245-30<br>345-30<br>445-30<br>545-30<br>645-30<br>745-30      | 7.95<br>7.95<br>7.95<br>7.95<br>7.95<br>7.95<br>7.95      |
| 10559   | FILTER RETAINING RINGS for Combination Shade/Filter Holders. Used instead of the lens shade for wide-angle photography with Ser. 8 or 3" diam. filters only.  Retaining Ring for 51/42mm Filter Holder  | 671-77  | 2.65  |
| 10560   | Retaining Ring for 60/51, 70/60, and ZEISS Filter Holder  | 673-50  | 5.25  |
| 1057/   | BLANK FILTER RINGS with tabs for Linhof Combination Holder.   | 222.20  | 2.50  |
| 10576<br>10577<br>19578                                     | 42mm Filter Ring  | 232-30<br>242-60<br>253-30  | 3.50<br>3.95<br>4.95                                      |
|   | FILTER FRAME and FILTERS for 4x5 AERO TECHNIKA CAMERA   |   |   |
| 10508<br>10536<br>10537                                     | Filter Frame, blank, for Aero Technika (for 4" sq. filters)   | 835-00<br>7120-67<br>3227-33  | 7.50<br>31.00<br>41.00                                    |
|   | HOLDER FOR 4x4" GELATINE FILTERS. Supplied with bracket to mount holder in front of lens (up to 100mm front diameter); accepts gelatine filters held in frame (one supplied).   |   |   |
| 10586<br>10587<br>10588<br>10589<br>10880<br>10590<br>10417 | Gelatine Filter Holder for Technika Press 23 and Super Technika 23  Gelatine Filter Holder for Super Technika 4x5  Gelatine Filter Holder for Linhof Color Cameras  Gelatine Filter Holder for Super Technika 5x7  Gelatine Filter Holder for Kardan-Color Cameras  Frames for 4x4 Gelatine Filters to fit Holder  Leatherette Case for Gelatine Filter Holder                                  | 2610-33<br>3415-67<br>3713-30<br>4415-67<br>2311-67<br>841-60<br>346-63 | 15.50<br>23.50<br>19.95<br>23.50<br>17.50<br>2.40<br>9.95 |



# SCREW-IN LENS SHADE FILTER HOLDERS (Made in U.S.A.) for use with 'Series' size filters and lens attachments

| Filter<br>Series | User Net<br>Price  |  |   | Filter<br>Series   |   | User Net<br>Price  |
|------------------|--|--|---|--|---|--|
| 5 823-30         |  |  |   | 8  | 279-00  | 15.00  |
| 6 494-80         | 8.00   | 360mm I  | 0524  | 8  | 689-00  | 15.00  |
| 7 347-00         | 12.00  |  |   |  |   |  |
| 6 494-80         | 8.00   | Xenar 105mm f/3.5 1  | 0512  | 6  | 634-20  | 7.00   |
| 7 347-00         | 12.00  | 127mm f/4.7 1  | 0512  | 6  | 634-20  | 7.00   |
| 9 9115-00        | 25.00  | 150mm f/4.5 1  | 0512  | 6  | 634-20  | 7.00   |
| 9 7115-00        | 25.00  | 180mm f/4.5 I  | 0514  | 7  | 856-60  | 11.00  |
|                  |  | 210mm f/4.5 1  | 0517  | 8  | 279-00  | 15.00  |
| 5 823-30         | 5.50   |  |   |  |   |  |
| 6 634-20         | 7.00   |  |   |  |   |  |
| 7 856-60         | 11.00  | Xenotar 105mm f/2.8 - 1  | 0514  | 7  | 856-60  | 11.00  |
| 8 259-00         | 15.00  |  | 0517  | 8  | 279-00  | 15.00  |
| 8 279-00         | 15.00  | 150mm f/2.8 - 1  | 0520  | 9  | 7115-00   | 25.00  |
| 8 689-00         | 15.00  |  |   |  |   |  |
| 6 634-20         | 7.00   | Zeiss Tessar 150mm 1   | 0514  | 7  | 856-60  | 11.00  |
|                  |  |  |   |  |   | 15.00  |
|                  |  |  | The months have   |  |   | 25.00  |
|                  | \$\frac{5}{6}  \text{823-30}{6}  \text{494-80}{7}  \text{347-00}{6}  \text{494-80}{7}  \text{347-00}{9}  \text{7115-00}{9}  \text{7115-00}{9}  \text{7115-00}{6}  \text{823-30}{6}  \text{634-20}{6}  \text{8259-00}{8}  \text{279-00}{8}  \text{689-00}{6}  \text{634-20}{7}  \text{856-60}{6}  \text{634-20}{7}  \text{856-60}{6}   \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6}  \text{856-60}{6} | Series         Price           5         823-30         5.50           6         494-80         8.00           7         347-00         12.00           6         494-80         8.00           7         347-00         12.00           9         9115-00         25.00           9         7115-00         25.00           5         823-30         5.50           6         634-20         7.00           7         856-60         11.00           8         279-00         15.00           8         689-00         15.00           6         634-20         7.00           7         856-60         11.00 | Series         Price         For Lens:         Company           5         823-30         5.50         Tele Xenar 270mm   360mm   360mm | Series         Price         For Lens:         Cat. No.           5         823-30         5.50         Tele Xenar 270mm - 10517           6         494-80         8.00         360mm - 10524           7         347-00         12.00         Xenar 105mm f/3.5 - 10512           9         9115-00         25.00         127mm f/4.7 - 10512           9         7115-00         25.00         150mm f/4.5 - 10512           9         7115-00         25.00         180mm f/4.5 - 10512           180mm f/4.5 - 10517         10517           5         823-30         5.50           6         634-20         7.00           7         856-60         11.00           8         279-00         15.00           8         689-00         15.00           8         689-00         15.00           6         634-20         7.00           7         856-60         11.00      Zeiss Tessar 150mm - 10514  Planar 135mm - 10517 | Series         Price         For Lens:         Cat. No.         Series           5         823-30         5.50         Tele Xenar 270mm - 10517 8 360mm - 10524 8         8           6         494-80 8.00 7 347-00 12.00         Xenar 105mm f/3.5 - 10512 6 127mm f/4.7 - 10512 6 127mm f/4.7 - 10512 6 150mm f/4.5 - 10512 6 150mm f/4.5 - 10512 6 180mm f/4.5 - 10512 6 180mm f/4.5 - 10514 7 210mm f/4.5 - 10517 8           5         823-30 5.50 6 634-20 7.00 7 856-60 11.00         Xenotar 105mm f/2.8 - 10514 7 135mm f/3.5 - 10517 8 150mm f/2.8 - 10520 9           8         279-00 15.00 8 689-00 15.00         Xenotar 105mm f/2.8 - 10520 9           6         634-20 7.00 7.00 7 856-60 11.00         Zeiss Tessar 150mm - 10514 7 Planar 135mm - 10517 8 | Series         Price         For Lens:         Cat. No.         Series           5         823-30         5.50         Tele Xenar 270mm - 10517 8 279-00           6         494-80         8.00         360mm - 10524 8 689-00           7         347-00         12.00         12.00           9         9115-00         25.00         127mm f/4.7 - 10512 6 634-20           9         9115-00         25.00         150mm f/4.5 - 10512 6 634-20           9         7115-00         25.00         180mm f/4.5 - 10514 7 856-60           210mm f/4.5 - 10517 8 279-00         210mm f/4.5 - 10517 8 279-00           5         823-30 5.50 6 634-20 7.00         Xenotar 105mm f/2.8 - 10514 7 856-60           8         259-00 15.00 15.00 15.00 8 689-00 15.00         Xenotar 105mm f/2.8 - 10517 8 279-00           8         279-00 15.00 Planar 135mm - 10517 8 279-00 |

# Linhof SALES POLICY

#### LINHOF CAMERAS ARE SOLD ONLY THROUGH FRANCHISED LINHOF DEALERS

CLASS A LINHOF DEALERSHIP is available to stores prepared to carry Linhof Cameras and Linhof Accessories in stock at all times for prompt service to Linhof customers.

An initial stock order based on store size, location, and potential volume is required to establish Class A Dealership. The initial order, and subsequent orders, are filled at Net 'A' prices shown in current Kling Price Catalogs.

Continuation of a Class A Linhof Dealership Franchise is based on maintenance of adequate stock, and an annual sales volume commensurate with the potential in the area served by the Dealer.

Orders for an individual Camera or Camera-and-Lens Outfit may be accepted from a store not desiring a full Class A Franchise, if such store is located in an area not already served by active Class 'A' franchised Linhof Dealers.

Such individual orders will be filled at 'B' Net Prices, available on request.

'B' Dealers qualifying for full Class A Franchise within 60 days after placing their initial order for an individual camera, will receive retroactive credit for the difference between A and B Net prices on their franchise stock order.

An individual camera purchase on Class B basis does not constitute a Franchise. Acceptance of further orders is subject to approval.

All sales of Linhof Cameras by Class A or B Dealers must be to ultimate users only. Trans-shipment to other dealers, or to third parties engaged in re-sale, will result in cancellation of Linhof Dealership privileges.

Linhof products may not be advertised below User Net Prices shown in the current Kling Price Catalogs. Offers of used Linhof equipment must be qualified by the word USED in type of the same size as the price at which such equipment is offered for sale. Any other qualifying statements (Like New, Demonstrator, Slightly Used, etc.) are not permissible. Improper advertising of Linhof products will result in cancellation of Linhof Dealership privileges.

Linhof Dealership Privileges are separate from, and independent of, Dealership Privileges for the sale of any other Kling-distributed products.

# Linhof SERVICE INFORMATION

The Linhof Service Departments at our New York Headquarters and West Coast Branch are staffed with factory-trained specialists, and equipped with all facilities for making lens installations, adjustments, or repairs. The following information will be helpful to you in using our Service facilities:

- SEND COMPLETE OUTFITS. Whenever Super Technika cameras are sent to us for installation of additional lenses\*, adjustment, or repair, ALL lenses, rangefinder cams, and distance scales already provided for the camera must be sent along so that the outfit can be checked for proper functioning of all components upon completion of service. Failure to send the complete outfit will cause delay.
- SERVICE INSTRUCTIONS. Complete instructions concerning the work to be done must be sent with the equipment. (Add 5 cents for letter postage). General statements such as "please adjust" or "please repair" are not sufficient, and will cause delay through correspondence.
- LENS AND SHUTTER REPAIRS. All imported lenses and shutters supplied with Linhof cameras may be sent to us for servicing. To save time in servicing domestic lenses, we recommend that such lenses and shutters be sent direct to their respective American manufacturers.
- REPAIR OF OLD MODEL CAMERAS. Because repair parts of old models may be no longer available, we suggest you write to us before sending for repair any camera not originally imported by us.
- SHIPPING. Cameras, Lenses, and component rangefinder cams, etc. must be carefully packed, and addressed to our Service Department.
- CHARGES. All Linhof cameras registered with us by the owner within 10 days after purchase on the standard Registration Card, will be serviced by us under the Guarantee.

Lens installation, rangefinder coupling, and similar basic work is charged at the prices shown in the current Linhof Price List.

All other work is charged on a time-and-material basis. If requested, an estimate of charges is sent for approval before we proceed.


- **DELIVERY.** Most equipment sent to us for installation, adjustment, or repair is returned within 8-10 working days after arrival.
- APPOINTMENT SERVICE. For the convenience of photographers desiring lens installation, or routine adjustments, with a minimum loss of time, 48-hour service can be offered, if scheduled in advance. Ask our Service Department for a definite advance date, giving complete detail concerning the work to be done.
- **EMERGENCY SERVICE.** Every effort will be made to give preference to emergency situations for immediate service. Please observe the following:

Send a wire or air mail letter notifying us when and how equipment is shipped. Give complete instructions.

Ship equipment—complete with all lenses, cams, distance scales, test films, etc.—via AIR. Advise us if an estimate of charges is wanted.

Give us complete return shipping instructions, i.e. "Air", "Express", "C.O.D." etc.

\*Super Technika V, 4x5 cameras need not be sent to us when additional lenses are ordered.



Latest achievements in optical design and utilization of the newest rare earth glasses distinguish the fine West German lenses listed here.

They are the preferred choice of professionals and advanced amateurs for use with Linhof or regular professional cameras.

PHOTO

See Section C (KILFITT) and I (RODENSTOCK) for listings of lenses for Miniature and Motion Picture cameras, and for Enlarging.

|          |                | Shutter Information Table                                      |                |                                      |
|----------|----------------|--|----------------|--------------------------------------|
| Code     | Туре           | S p e e d s  | flash<br>synch | Remarks                              |
| MXV/CROO | Synchro-Compur | B, I, 1/2, 1/4, 1/8, 1/15, 1/30, 1/60, 1/125, 1/250, 1/500 sec | М-Х            | Built-in Selftimer                   |
| MX/CRO   | Synchro-Compur | B, I, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/500 sec      | M-X            | Blade Arrester<br>for focusing       |
| MX/CRI   | Synchro-Compur | T, B, I, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/400 sec   | M-X            | Built-in Selftimer<br>Blade Arrester |
| EX/CII   | Compur         | T, B, I, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/200 sec          | X              |                                      |
| EX/CdIII | Compound       | T, B, I, 1/2, 1/5, 1/10, 1/25, 1/50, 1/75, 1/100 sec           | X              |                                      |
| EX/CdIV  | Compound       | T, B, I, 1/2, 1/5, 1/10, 1/25, 1/50, 1/75 sec                  | X              |                                      |
| EX/CdV   | Compound       | T, B, I, 1/2, 1/5, 1/10, 1/25, 1/50 sec                        | X              |                                      |

Locking cable releases are available for focusing and for time exposures with shutters having no 'T' setting.

### **LENSES IN SHUTTERS**

| Cat.<br>No. | mm   | inch    | f/     | shutter  | top<br>speed | front<br>diam.<br>mm |          |            | User<br>Net<br>Price |
|-------------|------|---------|--------|----------|--------------|----------------------|----------|------------|----------------------|
|             | SCI  | HNEIDE  | R LENS | SES      |              | \                    |          |            |                      |
|             | TEC  | HNIKA   | XENAR  |          |              |                      |          |            |                      |
| 10113       | 100  | 4       | 3.5    | MX/CRO   | 1/500        | 42                   | 73106-77 | 3M6196-34  | 158.00               |
| 10101       | 105  | 4.1/8   | 3.5    | MX/CRO   | 1/500        | 42                   | 1791-69  | 3M1482-67  | 136.00               |
| 10105       | 150  | 6       | 4.5    | MX/CRI   | 1/400        | 42                   | 1689-33  | 3M1880-40  | 134.00               |
| 10106       | 210  | 8.1/4   | 4.5    | EX/CdIII | 1/100        | 60                   | 27178-00 | 3M29160-20 | 267.00               |
| 10122       | 300  | 12      | 4.5    | EX/CdV   | 1/50         | 85                   | 07280-66 | 3M04252-60 | 421.00               |
|             | TEC  | HNIKA   | SYMM   | AR       |              |                      |          |            |                      |
| 10120       | 100  | 4       | 5.6    | MX/CRO   | 1/500        | 42                   | 84104-34 | 3M9793-29  | 153.00               |
| 10116       | 135  | 5.1/4   | 5.6    | MX/CRO   | 1/500        | 42                   | 68101-33 | 3M1991-20  | 152.00               |
| 10117       | 150  | 6       | 5.6    | MX/CRI   | 1/400        | 51                   | 56118-00 | 3M57106-20 | 177.00               |
| 10118       | 180  | 7       | 5.6    | MX/CRI   | 1/400        | 60                   | 43131-33 | 3M72118-20 | 197.00               |
| 10119       | 210  | 8.1/4   | 5.6    | MX/CRI   | 1/400        | 60                   | 49148-67 | 3M64133-80 | 223.00               |
| 10127       | 240  | 9.1/2   | 5.6    | EX/CII   | 1/200        | 70                   | 18212-66 | 3MI4I9I-40 | 319.00               |
| 10128       | 300  | 12      | 5.6    | EX/CdIIi | 1/100        | 90                   | 25316-66 | 3M26285-00 | 475.00               |
| 10136       | 360  | 14.1/4  | 5.6    | EX/CdIV  | 1/75         | 110                  | 30402-00 | 3M43361-80 | 603.00               |
|             | TEC  | HNIKA   | XENOT  | AR       |              |                      |          |            | 2021                 |
| 10103       | 80   | 3.1/8   | 2.8    | MX/CRI   | 1/400        | 51                   | 53140-33 | 3M63126-77 | 207.00               |
| 0102        | 100  | 4       | 2.8    | MX/CRI   | 1/400        | 51                   | 14172-67 | 3M24156-02 | 254.00               |
| 0100        | 105  | 4.1/8   | 2.8    | MX/CRI   | 1/400        | 51                   | 28153-29 | 3M65138-52 | 225.00               |
| 0129        | 135  | 5.1/4   | 3.5    | MX/CRI   | 1/400        | 60                   | 43158-67 | 3M53142-80 | 238.00               |
| 10104       | 150  | 6       | 2.8    | EX/CII   | 1/200        | 80                   | 09286-67 | 3M07258-00 | 430.00               |
|             | TEC  | HNIKA   | ANGU   | LON      |              |                      |          |            |                      |
| 0107        | 65   | 2.1/2   | 6.8    | MXV/CROO | 1/500        | 32                   | 2271-05  | 3M2464-14  | 105.00               |
| 10108       | 90   | 3.1/2   | 6.8    | MX/CRO   | 1/500        | 42                   | 1798-52  | 3M1888-91  | 146.00               |
| 0109        | 120  | 4.3/4   | 6.8    | MX/CRI   | 1/400        | 51                   | 68107-39 | 3M6796-89  | 159.00               |
| 0123        | 165  | 6.1/2   | 6.8    | EX/CII   | 1/200        | 60                   | 11168-66 | 3M17151-80 | 253.00               |
| 10137       | 210  | 8.1/4   | 6.8    | EX/CdIII | 1/100        | 70                   | 74209-33 | 3M64188-40 | 314.00               |
|             | TEC  | HNIKA   | SUPER  | ANGULON  |              |                      |          |            |                      |
| 0111        | . 53 | 2.1/8   | 4      | MX/CRO   | 1/500        | 70                   | 57341-04 | 3M17308-36 | 499.00               |
| 0131        | 65   | 2.1/2   | 8      | MXV/CROO | 1/500        | 51                   | 24132-24 | 3M68119-53 | 194.00               |
| 0139        | 75   | 3       | 8      | MXV/CRO  | 1/500        | 51                   | 82161-11 | 3M07145-58 | 237.00               |
| 0140        | 90   | 3.1/2   | 8      | MX/CRO   | 1/500        | 70                   | 42170-71 | 3M91154-28 | 251.00               |
| 0133        | 121  | 4.3/4   | 8      | MX/CRO   | 1/500        | 80                   | 18284-66 | 3M43256-20 | 427.00               |
| 0134        | 165  | 6.1/2   | 8      | MX/CRI   | 1/400        | 110                  | 66379-33 | 3M24341-40 | 569.00               |
| 0135        | 210  | 8.1/4   | 8      | MX/CRI   | 1/400        | 132                  | 33585-33 | 3M57526-80 | 878.00               |
|             | TEC  | HNIKA   | TELE-X | ENAR     |              |                      |          |            |                      |
| 0114        | 360  | 14.1/4  | 5.5    | EX/CdIII | 1/100        | 70                   | 84224-66 | 3M17202-20 | 337.00               |
| 0115        | 500  | 19.3/4  |        | EX/Cq/   | 1/50         | 110                  | 14422-67 | 3M23380-00 | 634.00               |
|             | TECI | HNIKA ' | TELE-A | RTON     |              |                      |          |            |                      |
| 0112        | 180  | 7       | 4      | MX/CRI   | 1/400        | 70                   | 12186-00 | 3M46167-40 | 279.00               |
| 0110        | 180  | 7       | 5.5    | MX/CRO   | 1/500        | 42                   | 43117-33 | 3M52105-60 | 176.00               |
| 0124        | 240  | 9.1/2   | 5.5    | MX/CRI   | 1/400        | 51                   | 52151-33 | 3M71136-20 | 227.00               |
| 0125        | 240  | 9.1/2   | 5.5    | EX/CII   | 1/200        | 51                   | 43202-00 | 3M62181-80 | 303.00               |
| 0126        | 270  | 10.5/8  | 5.5    | EX/CII   | 1/200        | 60                   | 39230-66 | 3M10207-60 | 346.00               |

| Cat.<br>No. | mm   | inch    | f/       | shutter         | top<br>speed | diam.<br>mm |          |            | User<br>Net<br>Price |
|-------------|------|---------|----------|-----------------|--------------|-------------|----------|------------|----------------------|
|             |      | IIICII  |          | siluitei        | speed        | mm          |          |            | rrice                |
| (T) (S)     | ROD  | ENSTO   | CK LE    | NSES            |              |             |          |            |                      |
|             | WIE  | DE-ANG  | LE TEC   | HNIKON          |              |             |          |            |                      |
| 10150       | 58   | 2.1/4   | 5.6      | MXV/CROO        | 1/500        | 70          | 82252-65 | 3M72227-40 | 379.00               |
|             | TEC  | HNIKO   | N-NO     | RMAL            |              |             |          |            |                      |
| 0151        | 100  | 4       | 4        | MX/CRI          | 1/400        | 51          | 41172-00 | 3M31154-80 | 258.00               |
|             | TELI | E-TECHI | NIKON    |                 |              |             |          |            |                      |
| 0152        | 180  | 7       | 4.5      | MX/CRO          | 1/500        | 51          | 81157-30 | 3M71141-60 | 236.00               |
|             | ROT  | ELAR 1  | TELEPH ( | ОТО             |              |             |          |            |                      |
| 17212       | 270  | 10.1/2  | 5.6      | MX/CRI          | 1/400        | 70          | 54166-00 | 3M64149-40 | 249.00               |
|             | IMA  | GON V   | ARIAB    | LE SOFTNESS LEI | NS           |             |          |            |                      |
| 7200        | 200  | 8       | 5.8      | EX/CdIII        | 1/100        | 55          | 21161-30 | 3M31161-30 | 242.00               |
| 7201        | 250  | 10      | 5.8      | EX/CdIII        | 1/100        | 55          | 31176-65 | 3M41176-65 | 265.00               |
| 7202        | 300  | 12      | 5.8      | EX/C4V          | 1/50         | 78          | 41204-00 | 3M42204-00 | 306.00               |
|             | APC  | -RONA   | R PRO    | CESS LENSES     |              |             |          |            |                      |
| 7604        | 150  | 6       | 9        | MXV/CROO        | 1/500        | 24          | 12110-65 | 3M17110-65 | 166.00               |
| 7605        | 240  | 9.1/2   | 9        | MX/CRI          | 1/400        | 42          | 13129-30 | 3M73129-30 | 194.00               |
| 7606        | 300  | 12      | 9        | MX/CRI          | 1/400        | 42          | 14148-00 | 3M69148-00 | 222.00               |
| 7607        | 360  | 14.1/4  | 9        | EX/CII          | 1/200        | 48          | 15196-00 | 3M57196-00 | 294.00               |
| 7608        | 480  | 19      | 9        | EX/Cq/          | 1/50         | 65          | 16273-30 | 3M52273-30 | 410.00               |
| 17609       | 600  | 24      | 9        | EX/C9A          | 1/50         | 85          | 17343-30 | 3M38343-30 | 515.00               |
|             | CAR  | L ZEIS  | SIEN     | EFC             |              |             |          |            |                      |
|             |      | SAR     | J LLIV.  | ,20             |              |             |          |            |                      |
| 10190       | 105  | 4.1/8   | 3.5      | MX/CRO          | 1/500        | 42          | 2782-67  | 3M3782-67  | 124.00               |
| 10195       | 150* |         | 4.5      | MX/CRI          | 1/400        | 51          | 11126-00 | 3M21126-00 | 189.00               |
|             | PLA  | NAR*    |          |                 |              |             |          |            |                      |
| 0198        | 80   | 3.1/8   | 2.8      | MX/CRI          | 1/400        | 51          | 14212-65 | 3M18212-65 | 319.00               |
| 0191        | 100  | 4       | 2.8      | MX/CRI          | 1/400        | 60          | 81192-65 | 3M91192-65 | 289.00               |
| 0194        | 135  | 5.1/4   | 3.5      | MX/CRI          | 1/400        | 60          | 91205-30 | 3M61205-30 | 308.00               |
|             | BIO  | GON E   | xtreme   | Wide-Angle*     |              |             |          |            |                      |
| 10192       | 53   | 2.1/8   | 4.5      | MX/CRO          | 1/500        | 70          | 43352-65 | 3M53352-65 | 529.00               |
| 10196       | 75   | 3       | 4.5      | MX/CRO          | 1/500        | 100         | 04579-60 | 3M06579-60 | 869.00               |
|             | 102  | NAR*    |          |                 |              |             |          |            |                      |
| 10193       | 180  | 7       | 4.8      | MX/CRO          | 1/500        | 70          | 41212-65 | 3M51212-65 | 319.00               |
| 10197       | 250  | 10      | 5.6      | MX/CRI          | 1/500        | 80          | 23379-30 | 3M12379-30 | 569.00               |

\*Distributed in the U.S.A. exclusively by Kling Photo Corporation



for professional and amateur use.

Precision Tripods—made by Linhof in West Germany—offer the ultimate in fine quality, convenience, and styling to match the finest cameras.

There is a Precision Tripod for every camera, from the 35mm miniature to professional still and motion picture cameras. A wide range of tripod heads and special accessories permits the adaptation of each tripod to virtually any task or special purpose.

Finest materials with lasting finishes, painstaking construction, and superb workmanship assure years of outstanding satisfaction.

PHOTO



#### **NU-LINE PRECISION TRIPODS**

NU-LINE tripods are available in three outstanding models to meet specific needs of the professional or advanced amateur photographer. They are complete with adjustable centerposts and "level control" panheads for utmost speed and convenience in correct positioning of the camera. All models contain these top quality features:



HYDRONALIUM ALLOY. Leg sections are made of sturdy, corrosion-resistant Hydronalium proven in hundreds of thousands of Linhof Precision tripods; each section is ground, polished and anodized to a smooth finish which keeps hands and clothing free from smudges, Hydronalium alloy combines lasting sturdiness with surprisingly light weight.

**INSTANT LEG CLAMPS.** Leg sections are continually adjustable and lock firmly at any extension with patented instant-action clamps.

**CONVERTIBLE TIPS.** Leg tips convert from metal spikes to rounded pads to assure a firm footing on smooth or rough surfaces.

NYLON COLLAR ELEVATION LOCKS. Centerposts adjust easily in large nylon collar which holds post tightly at any desired elevation for maximum steadiness.

**LEVEL CONTROL PANHEADS.** Panheads are equipped with built-in spirit level for exact positioning of camera to avoid distortions with wide-angle lenses, and for perfect "panning" with movie cameras. Panning and tilting movements, with calibrated scales, operate evenly and smoothly for finest pictorial results, through 360° pan, 90° tilt.

Superb Linhof styling and workmanship makes each NU-LINE tripod a perfect match for the finest precision camera.

|             |   |                      | User         |
|-------------|---|----------------------|--------------|
| Cat.<br>No. |   |                      | Net<br>Price |
| 10684       | NU-LINE I Tripod — For cameras up to $2^{1}/_{4} \times 3^{1}/_{4}$ , and 8mm movie cameras. Exclusive leveling centerpost with universal joint for quick leveling on sloped or uneven  |                      |              |
|             | ground. Adjust from 21" to 5 ft 6" elevation; folds to $21\frac{1}{2}$ ". Weight: $3\frac{3}{4}$ lbs.   | 2633-30<br>4M6729-95 | 49.95        |
| 10685       | NU-LINE II Tripod — For still cameras up to 4x5, or motion picture cameras to 16mm. Self-opening concentric struts add extra stability to leg sections. Pan handle is infinitely adjustable for most convenient angle and position. Adjusts from 251/2"   |                      |              |
|             | to 5 ft 2" elevation; folds to 27". Weight $51/2$ lbs   | 1253-30<br>4M9247-95 | 79.95        |
| 10686       | NU-LINE III Tripod — For still cameras up to Super Technika 5x7, movie cameras to 16mm. Tapering dual leg sections are braced by self-opening concentric struts for extreme stability with heavy equipment; one strut unlocks for level tripod placement on a slope or steps. Pan handle is infinitely adjustable for most convenient angle and position. Adjusts from 331/2" to 61/2ft; folds to 351/4". Weight: |                      |              |
|             | 83/ <sub>4</sub> lbs  | 1793-30<br>4M1883-95 | 139.95       |
|             |   | TIVI 1 003-73        |              |
|             | Carrying Cases for NU-LINE Tripods. Fine quality cases made of waterproofed duck; leather carrying handles and adjustable leather shoulder straps for comfortable   |                      |              |
|             | carrying.   |                      | 0.5511       |
| 10651       | Carrying Case for NU-LINE I tripod  | 248-30               | 12.50        |
| 10654       | Carrying Case for NU-LINE II tripod   | 3712-30              | 18.50        |
| 10673       | Carrying Case for NU-LINE III tripod  | 6318-30              | 27.50        |
|             |   |                      |              |

|   | 0  | 1   | 1 |
|---|----|-----|---|
| _ | Y: | cho | 1 |
|   |    |     |   |

| Cat.<br>No. | Linhof<br>Code | PRECISION TRIPODS AND ACCESSORIES (Stand   | ard Models) |              | User<br>Net<br>Price |
|-------------|----------------|--|-------------|--------------|----------------------|
|             |                | SPECIAL PURPOSE CAMERA SUPPORTS  |             |              |                      |
| 10619       | SE             | 61-inch MONOPOD with carrying handle   | 3615-00     | 3M7413-50    | 22.50                |
| 10630       | SK             | CLAMPOD camera clamp with double ball joint head   | 1916-30     | 3M8714-70    | 24.50                |
|             |                | LIGHT WEIGHT TRIPODS and Centerposts   |             |              |                      |
| 10611       | SPCD           | COMBI-U with sliding/leveling centerpost   | 6326-30     | 3M0423-70    | 39.50                |
| 10618       | SPR            | LIGHT WEIGHT PRO with sliding centerpost*  | 4139-65     | 3M6835-70    | 59.50                |
| 10606       | SRRD           | DeLUXE STUDIO with sliding centerpost*   | 1256-30     | 3M3950-70    | 84.50                |
| 10607       | SPD            | EXPERT with sliding centerpost*  | 9366-30     | 3M9562-95    | 99.50                |
| 10624       | RSA            | 8" Low-Level sliding post for Combi-U  | 642-00      | _            | 3.00                 |
| 10620       | REA            | 24" Geared Centerpost for tripods marked (*)   | 1226-30     |              | 39.50                |
| 10674       | RZC            | Outrigger Plate; permits upside-down placement of camera for extreme lowering of optical axis                                      | 7411-65     | _            | 17.50                |
|             |                | HEAVY DUTY TRIPODS and Accessories   |             |              |                      |
| 10609       | SRP            | HEAVY DUTY PRO (all metal) without centerpost#   | 24126-00    | <u> </u>     | 189.50               |
| 10613       | SGS            | DeLUXE CAMERA STAND with geared column#  | 17254-00    | <u> </u>     | 339.00               |
| 10621       | REB            | 27" Heavy Duty Geared Centerpost for tripods marked (#); with automatic brake  | 1256-30     | _            | 84.50                |
| 10625       | RZO            | Right Angle Outrigger Elbow for tripods marked (#); holds<br>Geared Centerpost in horizontal position                              | 5425-00     |              | 37.50                |
| 10622       | RVB            | 211/2" Heavy Duty Extension Column for tripod marked (#); may also be used with Heavy Duty Geared Centerpost                       | 1628-30     |              | 42.50                |
|             |                | MEDIUM TRIPOD HEADS  |             |              |                      |
| 10631       | RKI            | JUNIOR tiltop with panorama movement   | 179-95      | 3M188-95     | 14.95                |
| 10633       | RKP            | PRECISION TILTOP with panorama movement  | 8213-30     | 3M6711-95    | 19.95                |
| 10634       | RR             | REPORTER panhead   | 4311-65     | 3M7010-50    | 17.50                |
| 10642       | RRD            | 3-WAY REPORTER panhead (with added 90° lateral tilt)   | 9215-00     | 3M8713-50    | 22.50                |
| 10635       | RN             | PRECISION PANHEAD  | 5719-00     | 3M7717-10    | 28.50                |
| 10665       | RPK            | AMATEUR panhead with adjustable-angle panhandle  | 1721-65     | 3M4919-50    | 32.50                |
| 10666       | RPM            | PROFESSIONAL panhead with adjustable-angle panhandle   | 1228-30     | 3M7325-50    | 42.50                |
| 10636       | RKPN           | PAN-TILT MOUNT for Linhof-Color cameras  | 1235-00     | <del>-</del> | 52.50                |
|             |                | HEAVY DUTY TRIPOD HEADS  |             |              |                      |
|             |                | Fit any tripod with standard (1/4) thread; in addition, heads marked (+) fit clamping rings of Heavy Duty tripods and accessories. |             |              |                      |
| 10649       | RKD            | DeLUXE TILT-PAN TOP+   | 1633-00     | _            | 49.50                |
| 10669       | RPD            | 3-WAY UNIVERSAL panhead (with added 90° lateral tilt)  | 9746-30     | 3M6741-70    | 69.50                |
| 10667       | RPG            | DeLUXE PROFESSIONAL panhead+   | 7346-30     | _            | 69.50                |
| 10668       | RPN            | LEVELING Heavy Duty panhead with removable platform+   | 47119-30    | _            | 179.00               |
| 10866       | RKK            | KARDAN tilt-and-pan mount+   | 8954-80     | _            | 68.50                |
|             | RZA            | Geared FOCUSING SLIDE/STEREO head  | 0353-00     |              | 79.50                |
| 10641       |                |  |             |              |                      |

September 1963 Confidential for dealer use

| 4 | 1  |    | 1 |
|---|----|----|---|
| £ | /  | 0  |   |
| ~ | in | MO | 1 |

| Cat.<br>No. | Linhof<br>Code | PRECISION TRIPODS - Standard Models (continued)   |          | User<br>Net<br>Price |
|-------------|----------------|---|----------|----------------------|
|             |                | PROJECTOR PLATFORMS FOR LIGHT WEIGHT TRIPODS  |          |                      |
| 10646       | RTA            | 11x16" Platform for Combi-U centerpost  | ) —      | 10.95                |
| 10664       | RZP            | Adapter to use above with any tripod 14-85  | <b>.</b> | 1.25                 |
| 10644       | RTB            | IIx16" Platform for sliding centerpost of Lt.Wt.Pro, DeLuxe Studio or Expert tripods    | _        | 10.95                |
|             |                | FOLDING TRIPOD DOLLIES  |          |                      |
| 10640       | SWK            | LIGHT WEIGHT DOLLY for Light Weight tripods 6733-00                                     |          | 49.50                |
| 10610       | swe            | DeLuxe PROFESSIONAL GEARED DOLLY for Heavy Duty Pro 79179-00                            | -        | 239.50               |
|             |                | CARRYING CASES —  |          |                      |
|             |                | Top quality waterproofed duck; with leather shoulder strap.                             |          |                      |
| 10650       | RCO            | Case for Clampod  | _        | 7.95                 |
| 10651       | RCC            | Case for Combi-U/Nu-Line I  | _        | 12.50                |
| 10654       | RCF            | Case for Light Weight Pro, DeLuxe Studio, or Nu-Line II tripods with sliding centerpost | _        | 18.50                |
| 10672       | RCR            | Case for Light Weight Pro or DeLuxe Studio with geared                                  |          |                      |
|             |                | centerpost 6115-00  |          | 22.50                |
| 10673       | RCP            | Case for Expert or Nu-Line III tripod 6318-30   | -        | 27.50                |
| 10677       | RCL            | Case for Heavy Duty Pro with geared centerpost 2419-33                                  |          | 29.00                |
| 10671       | RCN            | Case for Light Weight Folding Dolly   | _        | 16.50                |

(See additional listing on page F4 of Tripods and Accessories available on Special Order)

8418-67

28.00

|             |                | Linhof  |                    | otember 1963<br>Confidential<br>for dealer use |
|-------------|----------------|---|--------------------|--|
| Cat.<br>No. | Linhof<br>Code | MISCELLANEOUS PRECISION TRIPODS AND ACCESSORIES   | FELLING<br>WIND    | User<br>Net<br>Price                           |
|             |                | The following products from the large Linhof international assortment are are available on "Special Order"; allow 10-12 weeks for delivery. |                    |  |
|             |                |   |                    |  |
| 10/17       | SL             | TRIPODS AND STANDS  | 1401.75            | 22 50  |
| 10617       |                | High Stand for lights, screens, etc   | 1421-65            | 32.50  |
| 10600       | SPCA<br>SPK    | Cine-8 tripod with centerpost and panhead   | 6723-00<br>0943-00 | 34.50<br>64.50                                 |
| 10602       | SRS            | Dural-U Cine tripod with panhead  | 4831-60            | 47.50  |
| 10604       | SPCK           | Mini Combi tripod with sliding/leveling centerpost  | 8425-60            | 38.50  |
| 10612       | SRC            | Combi-O tubular tripod with sliding/leveling centerpost   | 5329-00            | 43.50  |
| 10615       | SPCZ           | Combi Standard 2-section tripod with sliding/leveling centerpost  | 1925-00            | 37.50  |
| 10608       | SHU            | Twin-Shank Cine tripod (wood shanks)  | 2385-00            | 127.50   |
| 10614       | SHP            | Heavy Duty Cine tripod (wood shanks)  | 73126-30           | 189.50   |
|             |                | TRIPOD HEADS, CENTERPOSTS, MISCELLANEOUS  |                    |  |
| 10628       | RKM            | Mini Tiltop   | 876-30             | 9.50   |
| 10632       | RKG            | Double Ball Joint tripod head   | 738-30             | 12.50  |
| 10683       | RRN            | Leveling Reporter Panhead   | 5716-30            | 24.50  |
| 10626       | RKNK           | Small tripod leveling head  | 118-30             | 12.50  |
| 10627       | RKNG           | Large tripod leveling head  | 6918-30            | 27.50  |
| 10629       | RVA            | Telescoping Extension post for Combi tripods  | 467-00             | 10.50  |
| 10675       | RZD            | Shoulder Brace  | 678-30             | 12.50  |
| 10678       | -              | Leg Bracing Chain for Twin Shank tripods replacement  | 472-96             | 3.95   |
| 10663       | RZU            | 90-to-77mm Converter; adapts tripod heads with 77mm base to 90mm clamping rings of Heavy Duty tripods                                       | 4313-30            | 19.95  |
| 10645       | RZW            | 77mm Clamping Adapter for sliding centerpost of Lt.Wt.Pro, DeLux Studio and Expert tripods; to hold Gyro Head                               | 279-67             | 14.50  |
| 10662       | RZV            | 77m Clamping Adapter for 24" Geared Centerpost; to hold Gyro Head   | 379-67             | 14.50  |
| 10638       | RZS            | 77mm Platform to use any camera with 1/4 or 3/8 tripod socket on Pan-Tilt Mount (10636)   | 454-63             | 6.95   |
|             |                | PROJECTOR TABLES - COPY BASEBOARD   |                    |  |
| 10643       | RTC            | 12x18" Heavy Duty Platform (fits tripods with 90mm clamp top)   | 1128-30            | 42.50  |
| 10639       | RTD            | 14x36" Heavy Duty Platform (fits tripod with 90mm clamp top)  | 8943-00            | 64.50  |
| 10647       | YRZB           | 16x20" Copying/Enlarging Baseboard for Combi tripods  | 7129-00            | 43.50  |
| 10648       | RZI            | 90° Downtilt Head for Copying   | 347-00             | 10.50  |
|             |                | TRIPOD CASES  |                    |  |
| 10659       | RCA            | Case for Combiflex  | 237-00             | 10.50  |
| 10658       | RCB            | Case for Combi Standard or Dural-U Cine tripod  | 378-33             | 12.50  |
| 10657       | RCE            | Case for Cine-8 tripod  | 837-67             | 11.50  |
| 10652       | RCD            | Case for Special-U tripod   | 429-67             | 14.50  |
| 10670       | RCM            | Case for Special-O tripod   | 669-00             | 13.50  |
| 10655       | RCH            | Case for Twin Shank Pro   | 1717-33            | 26.00  |
| 10656       | RCJ            | Case for Twin Shank Pro with geared centerpost  | 1719-33            | 29.00  |
| 10474       | DCV            | Case to Honey Duty Cine triped  | 0/10/7             | 20 00  |

10676

RCK

Case for Heavy Duty Cine tripod . .